



fresh thinking!



Variapack

fresh thinking packaging for
Meat, Fish & Poultry



fresh thinking in your market

A deep understanding of the demands of today's fast changing modern lifestyle means LINPAC Packaging can offer you packaging solutions which will enhance your bottom line and at the same time deliver a sustainable solution that reduces food waste.

We offer packaging solutions that deliver

- ➔ Confidence in our ability to deliver security of supply and technical support
- ➔ Combined tray and film solutions specifically designed to work efficiently together
- ➔ Choose from a wide range of standard designs in various shapes, sizes and colours. Alternatively work with our technical team to develop a bespoke design
- ➔ Technical and engineering support to ensure your packaging operation is running as smoothly and efficiently as possible
- ➔ Provision of LINcare audits means we can improve your plant efficiency by up to 5%*
- ➔ Harmonise your product range by using the same tray across your range. LINPAC trays are suitable for tray sealing, overwrapping or in-store packing
- ➔ Peace of mind - the LINcare service standard provides exceptional reliability, consistency and product quality

*Contact your local Account Manager to find out more about LINcare audits

Follow our handy colour guide throughout our brochure to work out which tray is best for your application:

● MEAT ● FISH ● POULTRY

LINcare

Supercleaning Safety and Security



What are the Benefits of Supercleaning?

- Peace of Mind** - your whole pack structure is food safe
- Robust** - the process is subject to stringent risk assessment and process approval under Regulation EC 282/2008
- Safe** - supercleaning ensures LINPAC products avoid contamination from potential migration
- Environmental credentials** - use of recycled materials can be increased up to 95%

What is LINPAC Packaging's Supercleaning Process?

- LINPAC has invested in combined vacuum controlled residence time and elevated temperature supercleaning systems for cleaning of all incoming recycled materials
- Supplied by world leading manufacturers, the LINPAC supercleaning systems are operated in compliance with EC 282/2008 and will be accredited by EFSA and EC
- Additional process checks of the systems are also accredited by the BRC/IOP

A commitment to LIFE® Lightweighting For Excellence

- LINPAC Packaging delivers you market leading, lightweight packs and lowest gauge lidding films
- We can deliver you up to 20% reduction in tray weights without loss of functional performance
- Higher quality looking packs with greater functionality than form, fill, seal designs
- Competitive with form, fill, seal packs in non-shallow applications such as mince and fresh pasta

For more information on LIFE and how our products can help your environmental credentials, contact your local LINPAC Account Manager or contact us at info@linpacpackaging.com.



Need to find a Product?

To identify the right size and type of tray or film for your business, we have provided an easy to use, online product selector tool on the LINPAC Packaging website:

 www.linpacpackaging.com

This easy to use tool provides you with all the latest designs of packs and films LINPAC is currently manufacturing. If for some reason, we haven't got the exact size of product you are looking for, it will show you the closest matching products to your requirements.

Select your industry, then your product description; provide some simple information about required dimensions or cavities and the Product Selector will do the rest. Once you've found your pack or film solution, either contact your local LINPAC Packaging account manager or contact us at info@linpacpackaging.com for a product enquiry.



Fresh thinking for customer service...



fresh thinking
Packaging Portfolio

Rigid Solutions

Rfresh® PET HB

SUITABLE FOR MAP PACKAGING	LINPAC FILM	SPLIT / SHAPED TRAYS AVAILABLE	APPLICATION	PAGE NUMBER
YES	LINTop PE HB/ LINTop PP HB	YES	MEAT AND FISH	8

Rfresh® Elite

SUITABLE FOR MAP PACKAGING	LINPAC FILM	SPLIT / SHAPED TRAYS AVAILABLE	APPLICATION	PAGE NUMBER
YES	LINTop PE HB/ LINTop PP HB	YES	MEAT AND FISH	10

Rfresh® MB

SUITABLE FOR MAP PACKAGING	LINPAC FILM	SPLIT / SHAPED TRAYS AVAILABLE	APPLICATION	PAGE NUMBER
YES	LINTop PE HB/ LINTop PP HB	YES	FISH AND POULTRY	12

Fresh™ PP

SUITABLE FOR MAP PACKAGING	LINPAC FILM	SPLIT / SHAPED TRAYS AVAILABLE	APPLICATION	PAGE NUMBER
YES	LINTop PE HB/ LINTop PP HB	YES	POULTRY	13

VSP Mono PET

SUITABLE FOR MAP PACKAGING	LINPAC FILM	SPLIT / SHAPED TRAYS AVAILABLE	APPLICATION	PAGE NUMBER
YES	PLEASE DISCUSS FILM OPTIONS WITH YOUR ACCOUNT MANAGER	YES	MEAT, FISH, POULTRY	14

VSP PET/PE

SUITABLE FOR MAP PACKAGING	LINPAC FILM	SPLIT / SHAPED TRAYS AVAILABLE	APPLICATION	PAGE NUMBER
YES	PLEASE DISCUSS FILM OPTIONS WITH YOUR ACCOUNT MANAGER	YES	MEAT, FISH, POULTRY	14

VSP Barrier PP

SUITABLE FOR MAP PACKAGING	LINPAC FILM	SPLIT / SHAPED TRAYS AVAILABLE	APPLICATION	PAGE NUMBER
YES	PLEASE DISCUSS FILM OPTIONS WITH YOUR ACCOUNT MANAGER	YES	MEAT, FISH, POULTRY	14

fresh thinking
MAP Applications

● RAW RED MEAT Our recommended tray for this category is:

RFRESH® ELITE	RFRESH® PET HB	RFRESH® MB	FRESH™ PP	LINFRESH® / LINFRESH® PLUS	RECOMMENDED GAS MIX	RECOMMENDED STORAGE TEMPERATURE	TYPICAL SHELF LIFE (when gas flushed)
x	x			x	60% O ² with 20-40% CO ²	2-3 °C	5-8 days

● RAW LIGHT POULTRY Our recommended tray for this category is:

RFRESH® ELITE	RFRESH® PET HB	RFRESH® MB	FRESH™ PP	LINFRESH® / LINFRESH® PLUS	RECOMMENDED GAS MIX	RECOMMENDED STORAGE TEMPERATURE	TYPICAL SHELF LIFE (when gas flushed)
x	x	x	x	x	40-100% O ² with 0-60% N ²	2-3 °C	16-21 days

● RAW DARK POULTRY Our recommended tray for this category is:

RFRESH® ELITE	RFRESH® PET HB	RFRESH® MB	FRESH™ PP	LINFRESH® / LINFRESH® PLUS	RECOMMENDED GAS MIX	RECOMMENDED STORAGE TEMPERATURE	TYPICAL SHELF LIFE (when gas flushed)
x	x	x	x	x	70% O ² with 30% CO ²	2-3 °C	7-14 days

● SAUSAGES Our recommended tray for this category is:

RFRESH® ELITE	RFRESH® PET HB	RFRESH® MB	FRESH™ PP	LINFRESH® / LINFRESH® PLUS	RECOMMENDED GAS MIX	RECOMMENDED STORAGE TEMPERATURE	TYPICAL SHELF LIFE (when gas flushed)
x	x	x	x	x	20-30% CO ² with 70-80% N ²	4-6 °C	2-5 weeks

● SLICED COOKED MEAT Our recommended tray for this category is:

RFRESH® ELITE	RFRESH® PET HB	RFRESH® MB	FRESH™ PP	LINFRESH® / LINFRESH® PLUS	RECOMMENDED GAS MIX	RECOMMENDED STORAGE TEMPERATURE	TYPICAL SHELF LIFE (when gas flushed)
x	x			x	30% CO ² with 70% N ²	4-6 °C	2-5 weeks

○ RAW FISH Our recommended tray for this category is:

RFRESH® ELITE	RFRESH® PET HB	RFRESH® MB	FRESH™ PP	LINFRESH® / LINFRESH® PLUS	RECOMMENDED GAS MIX	RECOMMENDED STORAGE TEMPERATURE	TYPICAL SHELF LIFE (when gas flushed)
	x	x	x	x	40-90% CP ² with 0% O ² and 0-50% N ²	0-2 °C	5-9 days

○ COOKED FISH Our recommended tray for this category is:

RFRESH® ELITE	RFRESH® PET HB	RFRESH® MB	FRESH™ PP	LINFRESH® / LINFRESH® PLUS	RECOMMENDED GAS MIX	RECOMMENDED STORAGE TEMPERATURE	TYPICAL SHELF LIFE (when gas flushed)
	x	x	x	x	30% CO ² with 70% N ²	0-3 °C	3-4 weeks

○ SMOKED FISH Our recommended tray for this category is:

RFRESH® ELITE	RFRESH® PET HB	RFRESH® MB	FRESH™ PP	LINFRESH® / LINFRESH® PLUS	RECOMMENDED GAS MIX	RECOMMENDED STORAGE TEMPERATURE	TYPICAL SHELF LIFE (when gas flushed)
	x	x	x	x	40% CO ² with 40-60% N ²	0-3 °C	30 days

○ PRAWNS (PEELED, COOKED) Our recommended tray for this category is:

RFRESH® ELITE	RFRESH® PET HB	RFRESH® MB	FRESH™ PP	LINFRESH® / LINFRESH® PLUS	RECOMMENDED GAS MIX	RECOMMENDED STORAGE TEMPERATURE	TYPICAL SHELF LIFE (when gas flushed)
x	x	x	x	x	40% CO ² with 60% N ²	4-6 °C	21 days

Rfresh® PET HB

Superclean rPET trays for today's high speed sealing and overwrapping machines



LINPAC Packaging has developed LINTop PE HB and LINTop PP HB to provide a total MAP pack solution

- Enhance your product's visibility with this crystal clear solution
- Meet your environmental commitments with this low gauge film
- Maximise your tray sealing efficiency



Variapack



Designed specifically for modified atmosphere packaging (MAP), Rfresh® PET HB trays are an excellent choice, offering industry leading high barrier environmental performance, extended shelf life and exceptional product visibility.

FOR THE PACKER/PROCESSOR...

- High Barrier Tray - minimising costly waste in the supply chain
- Ease of use - optimised for today's high speed lid sealing and overwrapping lines
- Maximises line efficiency - excellent denesting, lightweight rigid trays
- High quality - exceptional top seal performance
- Cost efficient - the straight wall design of PET trays can reduce your handling costs by up to 20%

FOR THE RETAILER...

- High Barrier Tray - improves eating quality over an extended period
- Crystal clarity offering exceptional shelf presence and product visibility to drive sales
- Enhances your environmental credentials through extensive use of post consumer recycle
- Robust, lightweight design for minimum in-store damage and waste
- Brand management - multiple standard and bespoke pack designs available



ENVIRONMENTAL AND SAFETY CREDENTIALS

- Manufactured from more than 50% post consumer recycle (wherever possible 90% PCR is used)



Rfresh® Elite

100% recyclable - the next generation MAP pack



LINPAC Packaging has developed LINTop PE HB and LINTop PP HB to provide a total MAP pack solution

- Enhance your product's visibility with this crystal clear solution
- Meet your environmental commitments with this low gauge film
- Maximise your tray sealing efficiency



Variapack



The ultimate super lightweight, mono-material supercleaned tray. Rfresh® Elite uses a unique, patented sealant on the tray flange to create a secure seal with the lidding film, thus removing the need for a PE base film.

FOR THE PACKER/PROCESSOR...

- Can help to improve packing output by up to 5%*
- Robust and reliable - uniform stacking and easy denesting for line efficiency
- Adds to your bottom line - visual inspection of the seal area is easy both before and after packing, reducing waste in the supply chain
- Peace of mind – our in-house super-cleaning technology ensures food safety at all times
- High barrier material for extended shelf life performance for waste and cost minimisation

FOR THE RETAILER...

- Exceptional shelf presence and product visibility to drive sales
- Enhances your environmental credentials through extensive use of post consumer recyclate
- Rfresh® Elite enables you to meet the targets set by the European Packaging and Packaging Waste Directive 2017



ENVIRONMENTAL AND SAFETY CREDENTIALS



- Manufactured from more than 50% post consumer recyclate (wherever possible 90% PCR is used)
- 100% recyclable
- Manufactured using LINPAC Packaging LIFE® (Lightweighting For Excellence) design techniques, Rfresh® Elite offers a significant reduction in weight, thereby reducing its overall carbon footprint

*Requires LINcare audit, please contact your local Account Manager for further information

:Rfresh® MB

The natural alternative for white meat and fish

Designed as the new environmental standard in MAP trays, more natural in appearance, this latest tray solution from LINPAC offers retailers and packers a lightweight and efficient packaging solution for poultry without compromising on performance or environmental credentials.

FOR THE PACKER/PROCESSOR...

- Ease of use - compatible with current machines, settings and lidding films
- Adds value to your bottom line – lightweighted, optimised tray weights ensure production efficiency
- Offers enhanced shelf life versus PP - pack plus 12 days on poultry and plus 8 days on red meat
- Cost efficient - unique ribbed base designs removes the need for 'soaker' pads, so disliked by consumers
- Reduce waste - less pack damage through rigid design

FOR THE RETAILER...

- Enhances your environmental credentials -10% less carbon footprint than an equivalent PP tray and is recyclable
- Shelf efficiency - straight wall design for effective chiller cabinet stock control
- Brand management - offers a 'natural' look to your product display



ENVIRONMENTAL AND SAFETY CREDENTIALS

- Manufactured from more than 95% recycle versus minimal use in PP

LINPAC Packaging has developed LINTop PE HB and LINTop PP HB to provide a total MAP pack solution

- Enhance your product's visibility with this crystal clear solution
- Meet your environmental commitments with this low gauge film
- Maximise your tray sealing efficiency



Vacuum Skin Packs

Complete freedom of design with preformed trays



rPET/PE



Barrier EPS



Mono RPET



Barrier PP



The broadest vacuum skin pack tray range on the market today - fully recyclable, lightweight preformed trays suitable for all current tray sealing machinery. The new range of VSP trays offered by LINPAC Packaging offer enhanced consumer appeal and shelf presence.

FOR THE PACKER/PROCESSOR...

- Available in a broad range of materials for flexibility in design (Mono PET,PET/PE, Barrier PP, Barrier EPS)
- Suitable for a wide range of applications, delivering extended shelf life through vacuum integrity
- Adds value to your bottom line - no lock in to materials supply and runs on typical tray sealing machinery with quick and easy changeover
- Compatible with a range of high barrier, high shrink films

FOR THE RETAILER...

- Wide range of colours available to suit product tiering requirements
- Delivers extended shelf life through vacuum integrity in meat, fish and poultry
- Consumer appeal - multiple labelling and shelf ready design options available
- Adds value to your bottom line – shelf space and logistics efficient
- Exceptional shelf impact – shingling and hanging opportunities for improved product promotion

MATERIAL	COST	PEELABLE OPTION	RECYCLABILITY	SHELF LIFE	CARBON FOOTPRINT	USE OF RECYCLED MATERIAL
rPET/PE	Reasonable	Excellent	Excellent	Excellent	Excellent	Excellent
Mono rPET	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Barrier PP	Poor	Excellent	Reasonable	Excellent	Reasonable	Poor
Barrier EPS	Excellent	Reasonable	Poor	Excellent	Excellent	Poor

Excellent Reasonable Poor



ENVIRONMENTAL AND SAFETY CREDENTIALS

- Extended shelf life performance to drive down food waste

BARRIER FILMS

- ➔ Outstanding on-shelf presentation – all LINPAC barrier films have excellent anti-fog properties and exceptional transparency
- ➔ Market leading, lowest gauge films meet your pack performance and sustainability strategies at lowest cost
- ➔ Product safety and security – seal through contamination to ensure a safe and secure pack
- ➔ Sealing versatility for packaging flexibility – our range of films is available in both lock seal and peelable versions.
- ➔ Complementary range of films designed to work effectively with the LINPAC tray range
- ➔ Total pack support - try the LINcare audit to see how our films and trays can improve your production output, please contact your local Account Manager for further information

LINPAC Barrier Films at a glance

LAMINATED FILMS	REFERENCE	PROCESS			SEALING			SEALANT LAYER	PRINTING OPTIONS	COMMENTS
		Inside Cut Tray Sealer	Outside Cut Tray Sealer	Form, Fill, Seal	Easy Open (Burst Peel)	Lock Seal	Secure Seal through Contamination			
	LINtop PE HB A 40 & 50	▲	▲	▲		●	●	PE	Roto/Flexo	A 40 - lightest solution 39 g/m² film
	LINtop PE HB A 45PX	▲	▲	▲	●		●	PE	Roto/Flexo	Peelable
	LINtop PE HB B 42 & 52	▲	▲	▲		●	●	PE	Roto/Flexo	Secure seal in difficult environment
	LINtop PP HB A 40 & 50	▲	▲	▲		●	●	PP	Roto/Flexo	A 40 - lightest solution 39 g/m² film
	LINtop PP HB B 42PX	▲	▲	▲	●		●	PP	Roto/Flexo	Peelable
	LINtop PP HB B 42 & 52	▲	▲	▲		●	●	PP	Roto/Flexo	
	LINtop PET HB B 35	▲	▲	▲		●	●	PET	Roto/Flexo	Lighter than most barrier PET
	LINtop PET HB B 35PX	▲	▲	▲	●		●	PET	Roto/Flexo	Lighter than most barrier PET
	LINtop PET HB A 43PX	▲	▲	▲	●		●	PET	Roto/Flexo	Neat appearance - no wrinkles; lighter than most barrier PET

CO-EXTRUDED FILMS	REFERENCE	PROCESS			SEALING			SEALANT LAYER	PRINTING OPTIONS	COMMENTS
		Inside Cut Tray Sealer	Outside Cut Tray Sealer	Form, Fill, Seal	Easy Open (Burst Peel)	Lock Seal	Secure Seal through Contamination			
	LINtop Star PE HB		▲ above flanges				●	PE	Surface printing available	Smooth and tight "drum" aspect allows vertical display / longer reels / no adjustments or special settings required
	LINtop Star PE CXO		▲	▲			●	PE	Surface printing available	Suitable for lighter weight trays without deformation / longer reels / no adjustments or special settings required
	LINtop Star PE CXI	▲	▲	▲			●	PE	Surface printing available	Non-laminated film using less energy during manufacture / longer reels / no adjustments or special settings required

▲ Best ▲ Good ● Sealing

For further information about our range of barrier films please see our 'Fresh Thinking for Films' brochure



LINcare®

Our Service Commitment To You

At LINPAC Packaging we take our commitments to our customers very seriously. Our customer service strategy is to put our customers at the heart of everything we do - to be customer focused and dedicated to service. We aim to deliver products and services which are of good, consistent quality and value for money and to be responsive to the needs and expectations of all our customers at all times.

As such, we have established a set of business standards which are designed to advise you of the service you can expect from us, and when you join LINPAC as a customer, we welcome you aboard with a personal LINcare folder outlining our commitments to you.

Why not also book a LINcare audit? We can help you improve your plant efficiency by

up to 5%. Please contact your local Account Manager for further information.

We are committed to continuous improvement, monitor our performance against our commitments to you and also welcome and encourage feedback as we are always looking for ways to improve our products and services. You can leave comments on our website:

 www.linpacpackaging.com

Email us at info@linpacpackaging.com

Or write, call or fax your local LINcare Service Center (see the back page of this brochure for your local office).



Our LINcare Service Charter

- 1** To respect all customers and to always be polite, helpful and professional
- 2** To ensure that all enquiries are dealt with promptly and efficiently and measure our customer service satisfaction performance against industry and external benchmarks
- 3** To ensure all customers are treated fairly, we will try to provide, wherever possible, different ways to deliver our services to meet the needs of our varied customers – from local language requirements to preferred methods of communication (phone, fax, email, e-ordering, internet)
- 4** We will always strive to provide timely and relevant information tailored to your business needs and requirements
- 5** We will ensure that any information you provide is treated confidentially and never disclosed to third parties without your approval
- 6** We will ensure staff are fully trained and knowledgeable about our products and services
- 7** Where possible we will resolve all problems to your satisfaction



LINPAC Packaging...

Environmental Commitment



As a market leader, LINPAC Packaging feel it is very important to set the standard in our industry for all the issues associated with being a corporately responsible company. From the way we treat our employees to how we act in our communities, from how we optimise our resource usage to how we run our business, all of this is about recognising our contribution to society and running a sustainable business for the generations to come.

Within our Corporate Social Responsibility Policy we have 4 key pillars which are core to our overall business strategy:

- Economic Contribution
- Environmental Performance
- Social Responsibility
- Product Stewardship & Safety

Environmental Performance

We focus on the light-weighting of our products to minimise the quantity of plastic used in our foam and rigid trays and have achieved over a 20% material reduction since 2010 through our LIFE® (Lightweighting For Excellence) programme. All this whilst maintaining the packs' performance, meeting the increasing efficiency demands of our packer and retailer customers.

At LINPAC Packaging we:

- Reduce energy consumption through optimum weight packaging
- Prevent double-handling of goods by direct deliveries to depots wherever possible
- Produce no significant waste in our manufacturing systems
- Recycle water through a closed loop production system
- Transport full loads wherever possible with optimised delivery diaries to minimise energy usage
- Use high levels of recycled PET (rPET) in production of trays and punnets
- Drive towards zero waste to landfill status at several LINPAC sites

Product Stewardship & Safety

As a company at the forefront of pack safety in the food industry, where hygiene and product safety are of paramount importance, we have pushed up utilisation of Post Consumer Recyclate in our rigid trays and have invested significant capital in "super cleaning" technology for the recyclates across our manufacturing network.

LINPAC Packaging is...

Fresh Thinking!

At LINPAC Packaging we understand that we can only help your business thrive by understanding what your customers and consumers want. We work continuously to deliver outstanding packaging solutions to you. Working with you we will always deliver Fresh Thinking...

- Over 50 years experience in delivering cost effective packaging solutions in the retail, catering and food manufacturing markets
- LINPAC Packaging is a multi-material technology provider, operating internationally through a network of 16 plants and 28 sales operations
- Our passion is to minimise food waste through innovative and efficient packaging and film solutions
- Our commitment to our customers is to supply packaging which has as low an environmental impact as possible whilst still being fit for purpose

Working closely with retailers, brand owners and packers we have developed an appealing range of packaging solutions offering excellent presentation and protection for a wide range of food products.

Our unique LINcare Customer Service Centres provide professional support to our many customers and deliver tailored solutions which will enhance your bottom line and drive up your sales.

To find out more about our wide range of products visit:

www.linpacpackaging.com

Subscribe to our newsletter and follow us on all the key social media networks.



LINPAC Packaging around the world...

Australia

LINPAC Packaging Australia Pty Ltd
12 Gibbons Road
Bunbury, WA, 6230.

T: +61 (0) 89726 2781

Belarus

LINPAC Packaging East
Lenin Street 223, Orsha, Vitebsk Region
Republic of Belarus, 211391

Bosnia and Herzegovina

LINPAC Packaging d.o.o.
Krasevo B.B. 74266 Tesanjka,
Bosnia and Herzegovina

T: +387 (0)32 654 667
E: linpac@bih.net.ba

China

LINPAC Packaging Changzhou
No 16, Fengqi Road, Wujin High-Tech
Industrial Development Zone
Changzhou City, Jiangsu Province

T: +86 519 862 226 88
E: webexport@linpacpackaging.com

LINPAC Packaging China - Sales Office

Room23, 26/F, 333 Tian Yao Qiao Road
Ascendas Plaza, Xuhui District
Shanghai, 20030

T: +86 21 2215 7800
E: webexport@linpacpackaging.com

Croatia

LINPAC Packaging Algoia d.o.o.
Galdovacka 4, 44 000 Sisak, Croatia

T: +385 4452 5241
E: webenquiry.sj@linpacpackaging.com

Czech Republic

LINPAC Packaging Spol. s.r.o.
Černá silnice 1457
295 01 Mnichovo Hradiště
Czech Republic

T: +420 3267 704 16
E: webenquiry.cz@linpacpackaging.com

Denmark

LINPAC Packaging Scandinavia
Tune Parkvej 5, DK-4030 Tune

T: +45 3693 2692
E: webenquiry.dk@linpacpackaging.com

France

LINPAC Packaging Pontivy
Parc d'Activites de Kerguilloten,
56920 Noyal-Pontivy, France

T: +33 (0)2 97 28 70 70
E: webenquiry.fr@linpacpackaging.com

Germany

LINPAC Packaging Ritterhude
Deltastraße 1, D 27721
Ritterhude

T: +49 4292 9910
E: webenquiry.de@linpacpackaging.com

Hungary

LINPAC Packaging Hungaria Kft
Fehervari ut.120, Budapest 1116,
Hungary

T: +36 1206 1280
E: webenquiry.hu@linpac.com

Italy

LINPAC Packaging Infia Italy
Infia Srl, Via Caduti de Via Fani 85
Bertinoro, 47032 FC, Italy

T: +39 0543 466 511
E: webenquiry.it@linpacpackaging.com

LINPAC Packaging Verona Srl

Via Monte Pastello 40, San Giovanni
Lupatoto, 37057 VR

T: +39 045 92 16 411
E: webenquiry.it@linpacpackaging.com

Netherlands

LINPAC Packaging BV
Saturnus 4-11, Industrial area IBF
8448 CC Heerenveen

T: +31 513 657 120
E: webenquiry.nl@linpacpackaging.com

Poland

LINPAC Packaging Polska SP z.o.o.
Bukowice 39, 56-120 Brzeg Dolny,
Poland

T: +48 (71) 319 1207
E: webenquiry.pl@linpacpackaging.com

Portugal

OVARPACK Embalagens S.A.
Z Ind. de Ovar, Rua de Cabo Verde
3881-902 Ovar, Portugal

T: 351 256 579 170
E: ovar.portugal@linpac.com

Romania

LINPAC Packaging Romania SRL
208 Traian Vuia Street, 400397
Cluj-Napoca, Romania

T: +4 264 274 135
E: office.romania@linpac.com

Russia

LINPAC Packaging Russia
Moscow, Feodosiyskaya 1 bld 16

T: +7 495 565 3914
E: info@linpac.ru

LINPAC Packaging Russia

Saint-Petersburg,
Kubinskaya str, 84 litera A,B

T: +7 812 677 96 61
E: info@linpac.ru

LINPAC Packaging Russia

Yekaterinburg
Novosverdlovskaya TEC district, KEDR

T: +7 922 1930993
E: info@linpac.ru

LINPAC Packaging Russia

Novosibirsk, 630029
Bolotnaya str, 124

T: +7 383 2881772
E: info@linpac.ru

LINPAC Packaging Russia

Belgorod, Bogdana Hmel'nitskogo avenue,
bld 20/22 office 12

T: +7 4722 324960
E: info@linpac.ru

Serbia and Montenegro

LINPAC Packaging d.o.o.
Nova 30 BR 10, 21 203 Veternik,
Serbia and Montenegro

T: +381 21 846 000
E: webenquiry.si@linpacpackaging.com

Slovakia

LINPAC Packaging sro
Vasinova 61
94901 Nitra, Slovakia

T: +421 37 7729 198
E: webenquiry.sk@linpacpackaging.com

Slovenia

LINPAC Packaging d.o.o.
Obtrniška cesta 16, 1370 Logatec

T: +386 (0)1 759 14 64
E: webenquiry.si@linpacpackaging.com

Spain

LINPAC Packaging Infia Spain
Poligono S.P1.2., Parecela 5
46530 Puzol, Spain

T: +34 96 146 5227
E: webenquiry.es@linpacpackaging.com

LINPAC Packaging Pravia - Spain

Vegafriosa, La Calzada
33128 Pravia, Asturias, Spain

T: +34 98 582 3501
E: webenquiry.es@linpacpackaging.com

Turkey

LINPAC Packaging d.o.o.
Sincan Organize Sanayi Bolgesi
Oguz Cad. No.27
06930 Sincan / Ankara, Turkey

T: +90 312 267 19 97
E: webenquiry.tr@linpacpackaging.com

United Kingdom

LINPAC Packaging Featherstone
Wakefield Road, Featherstone
Nr. Pontefract, West Yorkshire, WF7 5DE

T: +44 (0) 1977 692111
E: customerservicesuk@linpacpackaging.com

Uzbekistan

LINPAC Packaging d.o.o.
Sincan Organize Sanayi Bolgesi
Oguz Cad. No.27
06930 Sincan / Ankara, Turkey

T: +90 312 267 19 97
E: webenquiry.tr@linpacpackaging.com



Variapack



® A registered trademark of LINPAC Packaging Ltd.
© May 2013 v1