


Ergonomic packing and workplace systems Cutting systems for packing materials Custom solutions



Selection guide

	BASIC	SYSTEM 1200/ 1600	SYSTEM 2000	SYSTEM FLEX	MODUL 5000
Flexibility is important to us, it should be easy to adapt the table to accommodate future processes.	000			••••	••00
Ergonomics at the workplace are a key issue for us.	0000			••••	
The design and look of the table are crucial aspects for us.	000		●● 00		
We attach great value to an extensive range of accessories with numerous shelves, PC solutions, etc.	0000		••••	••••	••00
Our packing tables are used for shift work or several people share them at any one time.	0000		••••	••••	
Our requirements are extremely complex. In some areas we will definitely require custom solutions.	0000			••••	••00
A packing table that just offers the main functions is all we need. The solution must be inexpensive.	••••		0000	0000	0000
We want to make a quick decision. Do you have complete, pre-configured packing tables?			0000	0000	0000

PRODUCT DIVERSITY



Your idea is our mission





Dear Business Partner,

We are delighted to present the new Hüdig + Rocholz catalogue.

This catalogue is the result of ongoing production developments, and showcases new additions to our product range.

One example is the SYSTEM BASIC, our perfect entrylevel system with its persuasively attractive prices and even better accessories!

We have gone so far as to dedicate several double-page spreads to our new and individually combinable FLEX table system. This system will enable you to work even more ergonomically and efficiently than ever before. We're

especially proud of our award from the IGR, a German interest group of back-training teachers. After thorough testing, the IGR has confirmed that our SYSTEM FLEX is an ergonomic product, making it **the only IGR-certified packing table in the world** (as of 07.05.2015)!

Our never-ending goal is to inspire you with our products and service. One element towards achieving that aim is this catalogue, which presents you our premium-quality, market-oriented and modern solutions, and outlines our performance capabilities.

Our achievements are based on the expertise, commitment and creativity of our employees and partners, as well as on advanced and ecologically sound technologies.

We place our reliance on Germany as our manufacturing location and on an ISO 9001:2008 – certified management system. As a medium-sized, owner-controlled company, our distinguishing characteristics are continuity and fairness, as well as know-how and flexibility, which enable us to provide products and solutions that you may not find in our catalogue.

Get in touch with us. We look forward to welcoming new customers and continuing our excellent relationships with existing partners!

Kind regards, Marc Rocholz

Successful teamwork!


Together with your local dealer, we will help you to bring your project to fruition, beginning at the planning phase, through to the realisation, and finishing with the installation at your premises. Benefit from our long-standing experience and expertise.

The workplace plays a determining and often underestimated role when it comes down to productivity and optimising processes.

A dedicated department with extensive project experience makes sure, together with the local distributor, that the packing workplaces are not only ideally integrated into the product flow, but also that they satisfy ergonomic standards.









It is possible to lower processing times and increase order picking or packing output by around 20% through effective integration of the workplaces in the product flow, and by taking the downstream and upstream processes into consideration.

Ergonomics at the workplace





Ergonomics at the workplace

Investing in an ergonomically designed workplace will benefit both your employees' health and the efficiency and quality of the work they do. On average, employees are absent from work due to illness on around 12 days every year. If this downtime could be reduced by just 3 days with a sensibly designed workplace where the ergonomics are concerned, that would equate to annual cost savings of about €1,000 with each employee. The consequent increase in productivity can very quickly accumulate up to an additional €800-1000 per person and year. Your investment in an ideal packing table can therefore pay for itself in just 1 to 2 years.

Solutions for a healthy workday

New industrial safety regulations prescribe basic safety measures to be observed when using work equipment. We will help you to put these regulations into practice.

	§ 6
	Grundlegende Schutzmaßnahmen bei der Verwendung von Arbeitsmitteln
de zu die Mi sir) Der Arbeitgeber hat dafür zu sorgen, dass die Arbeitsmittel sicher verwendet und dabei die Grundsätze er Ergonomie beachtet werden. Dabei ist Anhang 1 zu beachten. Die Verwendung der Arbeitsmittel ist so i gestalten und zu organisieren, dass Belastungen und Fehlbeanspruchungen, die die Gesundheit und e Sicherheit der Beschäftigten gefährden können, vermieden oder, wenn dies nicht möglich ist, auf ein indestmaß reduziert werden. Der Arbeitgeber hat darauf zu achten, dass die Beschäftigten in der Lage nd, die Arbeitsmittel zu verwenden, ohne sich oder andere Personen zu gefährden. Insbesondere sind Igende Grundsätze einer menschengerechten Gestaltung der Arbeit zu berücksichtigen:
1.	die Arbeitsmittel einschließlich ihrer Schnittstelle zum Menschen müssen an die körperlichen Eigen- schaften und die Kompetenz der Beschäftigten angepasst sein sowie biomechanische Belastungen vermeiden. Zu berücksichtigen sind hierbei die Arbeitsumgebung, die Lage der Zugriffstellen und des Schwerpunktes des Arbeitsmittels, die erforderliche Körperhaltung, die Körperbewegung, die Entfer- nung zum Körper, die benötigte persönliche Schutzausrüstung sowie die psychische Belastung der Be- schäftigten,
0	

2. die Beschäftigten müssen über einen ausreichenden Bewegungsfreiraum verfügen,

Figs. 1-4 Pneumatic lift table: Do you want to effortlessly lift or lower heavy packaging items and get them into the right gripping or working height? If so, the pneumatic lift table is just what you need, and it's also the ideal solution as an interface to the flow of materials.

Fig. 5 Inclined mounting profiles and sloping shelves support ergonomic movement at the packing station.

Fig. 6 Height adjustment with a folding crank - 710-960 mm: easily adjust the table to the right working height.

Fig. 7 Electrical height adjustment - 710-960 mm: featuring four saved settings and a height display, the table can be variably positioned to suit each employee.

Fig. 8 Workplace mats: These protect the joints and spinal discs, are slip-resistant, and offer sure footing at the workplace. The special structure of the underside of the workplace mats also means that the body stays in motion. This is good for the circulation, prevents fatigue, and reduces strain on one side of the body. Other versions are also available for entire aisles and are, as you would expect, suitable for use with pallet trucks.











We're delighted to present the very first* and only* packing table to have been certified by the IGR

as being an ergonomic product. The SYSTEM FLEX creates the perfect conditions at the workplace for working economically, healthily and efficiently. *As of 07.05.2015

PRACTICABLE



www.huedig-rocholz.de



SYSTEM BASIC



www.huedig-rocholz.de for more product illustrations.



PRACTICABLE

Reduced to the basic essentials! The SYSTEM BASIC offers all the main functions at an attractive price.

SYSTEM BASIC


The solution for application areas where every euro counts. This packing table meets the same demanding quality expectations we ourselves place in our products.


It has a working height of 850 mm, which can naturally be adjusted as required.

- Sturdy steel table with integrated bearing shells for holding a material roll shaft
- 19 mm worktop
- 100 kg surface load capacity
- Melamine resin-coated worktop
- Galvanised steel shelves
- Cutter with titanium-coated blade
- IT accessories for PC, monitor and keyboard
- Powder-coated steel parts: gentian blue RAL 5010

NEW features:

- Add-on storage rack made of square tubing
- Lockable drawer made of sheet steel
- Undertable cardboard storage rack made of square tubing
- Galvanised steel side table
- Galvanised steel backboard
- BASIC cutter stand for paper, foam and air bubble film
- Spindle for roll material above or underneath the table





NEV

QUALITY MADE IN GERMANY

All measurements in mm



Our range of accessories offers numerous expandability options.

Extra shelving, IT accessories, drawers, containers, as well as mobile cupboard and drawer units. Detailed information can be found on the following pages.

Plan and design SYSTEM BASIC



SYSTEM BASIC packing and work table

- Sturdy steel construction •
- Struts and legs made of square tubing •
- Melamine resin-coated 19 mm table top •
- Max. surface load 100 kg •

Order no.	W x D x H (mm)
700001	1600 x 800 x 850
700002	2000 x 800 x 850



Uprights

- For any combination of table accessories
- 1 set = 2 pcs. • Height above table 1030 mm, • slots every 200 mm

Order no.	W x D x H (mm)
700030	40 x 40 x 1266



Bottom shelf

- Melamine resin-coated 19 mm sheet •
- Max. surface load 50 kg
- Weight 19 kg

Order no.	W x D x H (mm)
700100	1525 x 650 x 19



Add-on storage rack

- Square tubing
- Incl. 8 dividers .
- Max. surface load 50 kg •
- Weight 19 kg .


Order no.	W x D x H (mm)
700050	1420 x 300 x 400



Drawer

- Made of sheet steel •
- Lockable •
- •
- Load capacity 12.5 kg

Order no.	W x D x H (mm)
700120	513 x 530 x 160



Document shelf

- Galvanised sheet steel for attachment to uprights
- Max. surface load 50 kg
- Weight 6 kg

Order no.	W x D x H (mm)
700060	1425 x 253 x 114



Container

- Mobile with 4 castors
- 2 lockable castors
- Load capacity 50 kg
- Sturdy plastic
- Weight 7 kg

Order no.	W x D x H (mm)
700110	610 x 416 x 495



Storage shelf •

- Galvanised sheet steel for attachment to uprights
- Max. surface load 25 kg •

1	 Weight 15 kg 	
	Order no.	W x D x H (mm)
	700070	1430 x 400 x 58



Drawer unit

- Sheet steel .
- Mobile with 4 castors
- 2 lockable castors
- Four drawers
- Load capacity 35 kg per drawer Weight 42 kg

Order no.	W x D x H (mm)
3010	490 x 600 x 675



Cupboard unit

- Sheet steel .
- Mobile with 4 castors
- 2 lockable castors •
- With 1 drawer and 1 cupboard door •
- Load capacity 50 kg • Weight 32 kg

Order no.	W x D x H (mm)
3011	490 x 600 x 675



Add-on cutter

- For attachment to uprights
- Cutting width 1250 mm
- Incl. shaft
- Galvanised
- Weight 12 kg •

Order no.	W x D x H (mm)
700090	1500 x 175 x 20



TFT monitor holder, Vesa 75/100


- Incl. adapter for Vesa 75 and Vesa 100
- Weight 0.5 kg .

Order no.	W x D x H (mm)
228120	200 x 100 x 100



Spindle between the uprights For mounting material rolls Load capacity 20 kg

Order no.	W x D x H (mm)
700140	1425



Undertable cardboard storage rack

- Square tubing .
- Mobile with 4 castors • 2 lockable castors
- Incl. 8 dividers
- •
- Surface load 50 kg Wainh+ 14 kg

1	 weight i 	4 кд

Order no.	W x D x H (mm)
700080	1415 x 300 x 415



Backboard

For attachment to uprights

Order no.	W x D x H (mm)
700040	1515 x 4 x 70



Side table

- Square tubing ٠
- Sheet steel table top •
- Galvanised
- Max. surface load 100 kg •
- Weight 20 kg

Order no.	W x D x H (mm)
700020	600 x 600 x 750



PC holder with strap

- For securing the PC underneath the table Weight 1 kg

Order no.	W x D x H (mm)
308100	Radius max. 1680



Cutter stand Horizontal

- With blades for foam, air bubble film, etc.
- Cutting width 1250 mm
- Max. roll weight 100 kg Max. roll diameter 1000 mm

Order no. W x	D x H (mm)
700130 1500	0 x 920 x 1100



Spindle underneath the table (between feet)
For mounting material rolls
Load capacity 100 kg

Order no.	W x D x H (mm)
700150	1430



The different components of the SYSTEM BASIC allow you to design an individual workplace.

Experience shows that many needs can be covered by our basic system. And the attractive price means that it will quickly pay for itself!



Sheet steel Galvanised Weight 2 kg



SYSTEMATIC

The SYSTEM 1600 offers you two all-in-one solutions with either a bottom shelf and steel drawer or with a roll holder and add-on cutter - depending on what it is to be used for.

Do you need other accessories? That's no problem, as both all-in-one solutions can be extended with accessories from the SYSTEM range. You can also put together your own custom solution from the SYSTEM 1600 elements shown on the following pages. The SYSTEM 1600 has an adjustable height of between 690 mm and 960 mm as standard.



www.huedig-rocholz.de

All-in-one solution

SYSTEM 1600

Complete packing station with 1600 mm wide table top, document shelf and cardboard storage rack

- Sturdy steel table
- 30 mm worktop
- 300 kg surface load capacity
- · Light grey worktop coated with melamine resin
- Steel components with powder-coated finish, anthracite RAL 7016, ruby red RAL 3003

Order no. 163001

W x D x H (mm): 1600 x 800 x 690-960

With bottom shelf (1145 x 650 x 19 mm) and steel drawer (520 x 500 x 150 mm)

Order no. 163002


W x D x H (mm): 1600 x 800 x 690-960


Like 163001 but with cutter in silver-grey RAL 9007, cutter cartridges for paper and foils, cutting width 100 cm, spindle set with cones and bearing shells

(without drawer and bottom shelf)









All measurements in mm

QUALITY MADE IN GERMANY

> The add-on cutter is supplied with two cutter cartridges. The smooth blade is for cutting foil and the round serrated blade is for paper and cardboard. The cartridges be effortlessly can replaced.

SYSTEMATIC







SYSTEMATIC

Classics, bestsellers, standard - these are terms we hear time and time again in conjunction with our SYSTEM 2000. "Extremely versatile and long-lasting" - that probably sums it up. The SYSTEM 2000 offers a multitude of combination possibilities. Beginning with the various types of tables through to the extensive range of accessories and suitable cutter stands, the system offers the ideal solution for all your needs.



On the following pages we will show you several interesting solutions, regardless of whether you require a single, extremely efficient workplace, or you want to equip an entire logistics centre.

Here you will find further information about ergonomics and our extensive range of IT accessories. Key aspects of consignment processes are the flow of materials and weighing, which naturally also includes our roller track tables.

- Sturdy steel table
- 30 mm worktop
- 300 kg surface load capacity
- Light grey worktop, coated with melamine resin
- Steel components with powder-coated finish, anthracite RAL 7016, ruby red RAL 3003
- Optional height adjustment with a crank or electric motor
- Custom solutions as special designs
- Extensive range of accessories
- Flexible clamp mounting for accessories
- Tables with integrated scale and/or roller track








If the work surface is too large, over time all kinds of things accumulate on it which don't belong there. Keep your workplace completely clear and orderly right from the outset with the appropriate accessories. This will save time and calm your nerves!





Special features at a glance:

The SYSTEM 2000 can be expanded or upgraded whenever the need arises. This means that your products keep flowing when processes and demands change. At the same time you get a high degree of investment security.

Daisy-chaining, integration and adaptation options offer countless possibilities from single workplaces up to complete packaging lines.

With the SYSTEM 2000, everything is ergonomically arranged and ready to hand. This makes for a tidy and efficient workplace.

The SYSTEM 2000 is versatile, and can be supplied as a packing table, roller track table, with an integrated scale, as well as with various height adjustments.

Custom solutions. Together with your local specialist trading partner, we develop a custom solution with SYSTEM 2000 to meet your needs.









Alongside high quality standards, being located in Germany also means that we can guarantee short delivery times and efficiently supply accessories and spare parts.

Surfaces

It goes without saying that we can offer you the right worktop for every application. As well as mechanical strain and which transport containers are being used, "soft" factors also play a role. We can fulfil your colour requirements as well as provide different woodgrain decors for a pleasant working atmosphere. For assembly work, for instance, we recommend a finger-jointed worktop. A brand new addition to the range is our cut-resistant surface, e.g. for cutting packing material to size at the workplace. Our melamine resin coating has proven to be a real all-rounder, which we supply as standard.

acids or other fluids

Melamine resin coating: For assembly and packing work

Conductive (ESD protection): For assembling and Plyv packing mu electronic For assemblies me

Plywood boards / multiplex: For extreme mechanical strain and Stainless steel: loads For workplaces where people work with oil,



You can protect the table top with a cut-resistant surface! See page 42 for more details.



Choose your preferred surface from our range. You can also combine it with all the other packing table sys-

Not only that, but you can even choose your favourite accentuating colour! Discuss your requirements with our trained sales partners – we'll be glad to help you!







From page 30, put together your custom SYSTEM 2000 to suit your needs!

































IT at the workplace

Today, IT is an indispensable element of most workplaces. That's why we have put together an especially extensive range of IT accessories for you. It includes holders for PCs and thin clients, various keyboard solutions such as the retracting keyboard drawer, or the folding keyboard tray, and monitor holders in different designs.

Ergonomically integrated IT

- Holders for PCs, thin clients and notebooks
- Flexible monitor holders for different designs
- Ergonomic solutions for keyboard and mouse
- Printer platforms and trolleys for different printing systems
- Easy assembly
- Easy access for servicing
- Ongoing developments and adaptations to accommodate new technologies
- Other solutions available by request

Fig. A

The various TFT folding arms, as well as the keyboard and mouse platform with folding arm, can be individually combined with the supporting column, upright adapters or profile rails. The fastening system allows monitors to be easily installed (they can be secured with fixing screws).

Fig. B

Retracting printer shelf for label printers: Allows you to easily replace the printing media. Simply pull the shelf with the printer towards you for convenient access to the labels (rolls) and printing foil.

Fig. C

Printer trolley: Sturdy and mobile steel design, ideal for larger laser printers with tray, e.g. for paper.







Proper positioning of IT components is really easy with the special attachment options. But it also cuts down the workload for your IT support team since easy access is assured for reduced service downtimes.



Uninterrupted flow of materials

The flexibility of the SYSTEM 2000 enables you to integrate it in your order picking and packaging processes. Various interface solutions, together with adaptation and integration options, assure an uninterrupted flow of products. One example of this are the weighing systems integrated in the table or roller track, as well as the ball units. The modular design means that adaptations can be made in the future with little effort and at low cost. After all, it's not just the products that flow, but the processes as well.

With the right scale, you can do more than just weigh things!

With a scale, the first thing that springs to mind is to weigh something. However, depending on the type of scale, it can do much more than just that. Counting scales, for example, can be helpful for order-picking small items or be used as "counting aids" in the incoming goods department. Linked to the ERP system or an article database recorded in the scale, weight plausibility checks can also be conducted during order picking. Supplemented by a barcode scanner and label printer, a large number of other solutions can also be realised. A suitable scale is available for every application purpose. Your specialist dealer will also consider this aspect during a personal consultation.









Don't forget to take the upstream and downstream processes into account in your planning. How does the product get to the workplace, what's the next step? What happens with the empty transport containers, for instance?



Roller track tables

Roller track tables are the adaptive interface to the conveyor system and provide for smooth integration in the product flow. We can offer you different variations with and without a work surface, as well as with an integrated scale or height adjustment.

Flexible and versatile

Our roller track head table is especially interesting. With this table, the roller track element is rotated by 90 degrees, and both the height and the angle can be adjusted.

This allows for both ergonomic positioning of the order picking container or packaging, as well as flexible integration in the product flow.

Our roller track tables are available in numerous combinations and designs:

- with and without work surface
- with integrated scale
- optional height adjustment with a crank
- roller track element parallel to the work surface or rotated by 90°
- adjustable angle on pure roller track tables

360° view of the transverse

roller track table at www.huedig-rocholz.de

- suitable as a transport or buffer line
- custom solutions with rollers, small rollers or ball elements
- compatible with the accessories for SYSTEM 2000 work tables











We are constantly active, just like your processes! Safeguard your future with flexible, extendable and ad-

aptable systems!

Tables SYSTEM 1200, SYSTEM 1600, SYSTEM 2000

2.



Packing and work table 1200

- Sturdy steel construction
- Struts and legs made of square tubing
- Foldable for transporting
- Standard height adjustment 690-960 mm
- Melamine resin-coated 30 mm table top
- The accessories for table width 1600 can be used for this table width

960

W x D x H (mm)

1200 x 800 x 690-

Max. surface load 300 kg

Order no. 123034

	-	

- Sturdy steel construction
- Struts and legs made of square tubing
- Foldable for transporting
- Standard height adjustment 690-960 mm
- Melamine resin-coated 30 mm table top
- Max. surface load 300 kg

Order no.	W x D x H (mm)
163000	1600 x 800 x 690-960
163500	Adjustable height with crank 710-960 mm
163800	Adjustable height electrical 710-960 mm



Packing and work table with scale

- For non-legal-for-trade weighing, max. 60 kg
- Scale division 20 g
- Stainless steel platform
- With separate display unit
- Table as 203000

Order no.	W x D x H (mm)
203200	2000 x 920 x 690-960 Weighing area 400 x 500 mm
203530	Adjustable height with crank 710-960 mm Weighing area 400 x 500 mm
203830	Adjustable height electrical 710-960 mm Weighing area 400 x 500 mm

5.

Packing and work table with scale

- Calibrating scale, PC interface, max. 60 kg
- Scale division 20 g
- RS232 interface
- Stainless steel platform
- With separate display unit
- Table as 203000

Order no.	W x D x H (mm)
203210	2000 x 920 x 690- 960 Weighing area 400 x 500 mm
203534	Adjustable height with crank 710-960 mm Weighing area 400 x 500 mm
203834	Adjustable height electrical 710-960 mm Weighing area 400 x 500 mm



Packing and work table 2000

- Sturdy steel construction
- Struts and legs made of square tubing
- Foldable for transporting
- Standard height adjustment 690-960 mm
- Melamine resin-coated 30 mm table top •
- Max. surface load 300 kg

Order no.	W x D x H (mm)
203000	2000 x 920 x 690-960
203500	Adjustable height with crank 710-960 mm
203800	Adjustable height electrical 710-960 mm



Roller track table with work surface

- Galvanised sheet steel work surface
- Work surface 1955 x 300 mm
 - Roller width 600 mm
 - Rollers 5 mm higher than work surface
 - Max. surface load 150 kg

Order no.	W x D x H (mm)
203010	1955 x 920 x 690- 960
203510	Adjustable height with crank 710-960 mm

The scale can optionally also be positioned on the left or in the middle! The scale display unit can be attached to a separately available bracket (p. 35).



Roller track table w/o work surface

- Struts and legs made of square tubing
- Standard height adjustment 690-960 mm
- Max. surface load 150 kg

Order no.	W x D x H (mm)
203020	1955 x 640 x 690- 960
203520	Adjustable height with crank 710-960 mm



Roller track table with work surface and scale

- For non-legal-for-trade weighing, max. 60 kg
- Scale division 20 g
- With separate display unit
- Max. surface load 150 kg

Order no.	W x D x H (mm)
203011	1955 x 920 x 690-960 Weighing area 600 x 600 mm
203511	Adjustable height with crank 710-960 mm



End stop for roller track tables

 Limiter for packages and packing items on the roller track

Order no.		W x D x H (mm)		
20354	41	600 x 10 x 100		



Roller track table w/o work surface, with scale

- For non-legal-for-trade weighing, max.
 60 kg
- Scale division 20 g
- With separate display unit
- Max. surface load 150 kg

Order no.	W x D x H (mm)
203021	1955 x 640 x 690- 960 Weighing area 600 x 600 mm
203521	Adjustable height with crank 710-960 mm



Roller track table with work surface and scale

- For legal-for-trade weighing, max. 60 kg
- Scale division 20 g

•

- With separate display unit
- Max. surface load 150 kg

Order no.	W x D x H (mm)
203012	1955 x 920 x 690- 960 Weighing area 600 x 600 mm
203512	Adjustable height with crank 710-960 mm



Roller track table w/o work surface, with scale

- Calibrating scale, PC interface, max. 60 kg
- Scale division 20 g
- With separate display unit
 - Max. surface load 150 kg

Order no.	W x D x H (mm)
203022	1955 x 640 x 690-960 Weighing area 600 x 600 mm
203522	Adjustable height with crank 710-960 mm



Side guard for roller track tables

Limiter for safely guiding packages and packing items on the roller track

Order no.	W x D x H (mm)
203540	1955 x 20 x 70



quirements.

SYSTEM 1200, SYSTEM 1600, SYSTEM 2000 Which upright fits which table?

Mounting upright	2062	2064	2065	2066	206411	206410
Packing table						
123034, 163000						
163500, 163800						
203000, 203200, 203210	•					
203500, 203532, 203533, 203800, 203832, 203833			•	•		•
Roller track table					İ	
203020, 203021, 203022, 203520, 203521, 203522						•
203010, 203011, 203012	•					
203510, 203511 203512						
Use without table						



Uprights

- Short or long version
- With screw fitting to table legs

• 5	Set =	2	pcs.
-----	-------	---	------

Order no.	W x D x H (mm)
2062	1170 mm, above table 485 mm Weight 6 kg
2064	1770 mm, above table 1085 mm Weight 8 kg
2065	1170 mm, above table 485 mm Weight 4 kg
2066	1770 mm, above table 1085 mm Weight 13 kg



- Add-on frame for variable-height tables
- Alternative for attaching accessories
 - Combinable with all the tables

Order no.	W x D x H (mm)
206410	For table width 2000 W x D x H (mm): 1800 x 810 x 1800 Weight 29 kg
206411	For table width 1600 W x D x H (mm): 1215 x 810 x 1800 Weight 26 kg



The uprights or mounting frame form the basis for all accessories fitted above the table

(pages 34, 35). Please also note that suitably sized accessories are available for table widths 1600 and 2000. Your local dealer will be pleased to advise you about putting together the best solution for your own requirements.

SYSTEM 2000 sample projects



New system







Retrofit















Assembly workplace











Accessories above the table SYSTEM 1200, SYSTEM 1600, SYSTEM 2000



Perforated back panel® RasterPlan

Perforated panel for hooking on tools •


Order no.	W x D x H (mm)
707016 For table width 1600	W x H 1500 x 450 Weight 9 kg
707116 For table width 1600	1/3 slotted panel and 2/3 perforated panel W x H 1500 x 450 Weight 9 kg
707020 For table width 2000	W x H 2000 x 450 Weight 12 kg
707090	Hook assortment 3 x single hooks 50 mm 3 x double hooks 75 mm, 3 x double hooks 150 mm 1 x shelf 445 x 150 mm



Document shelf

- Made of sheet steel .
- Flexible clamp assembly .
- Max. surface load 25 kg


Order no.	W x D x H (mm)
1650	W x H 1045 x 230
For table width 1600	Weight 5 kg
2050	W x H 1630 x 230
For table width 2000	Weight 7 kg



Cupboard system

- Incl. brackets
- 2 lockable doors
- Shelves Dividers


Order no.	W x D x H (mm)
205600	1760 x 330 x 585
For table width 2000	Weight 66 kg



Storage shelf

- 30 mm melamine resin-coated wood
- Flexible clamp assembly .
- Max. surface load 50 kg .


Order no.	W x D x H (mm)
704740	W x D 1046 x 400
For table width 1600	Weight 6 kg
704750	W x D 1600 x 400
For table width 2000	Weight 15 kg



Add-on storage rack

- Dividers •
- Flexible clamp assembly •
- Max. surface load 50 kg

Order no.	W x D x H (mm)
1653 For table width 1600	1015 x 600 x 400 3 x small brackets 3 x large brackets Weight 20 kg
2053 For table width 2000	1600 x 600 x 400 5 x small brackets 4 x large brackets Weight 28 kg
1653D For table width 1600	Without dividers, etc. For installing retract- ing printer platform
2053D For table width 2000	Without dividers, e.g. for installing retracting printer platform



Inclined shelf

- Made of sheet steel
- Flexible clamp assembly
- Infinitely adjustable angle
- With raised edge •
- Max. surface load 50 kg

Order no.	W x D x H (mm)
704700	1045 x 450 x 60
For table width 1600	Weight 10 kg
704800	1630 x 450 x 60
For table width 2000	Weight 20 kg



Workplace lighting

- For attachment to add-on storage rack (1653/2053) or bracket (207001/207002) .
- With glare shield
- Lamp casing of anodised aluminium 2.9 m cable and safety plug Compact fluorescent lamps 2 x 36 W, 230 V •

Order no.	W x D x H (mm)
207000	900 x 135 x 60 Weight 5 kg




Bracket for attaching workplace light

- For attachment to uprights •
- For workplace light no. 207000



Holder for scale display unit

- For flexible clamping to uprights ٠
- Order no. W x D x H (mm) 2091 120 x 92 x 42 Weight 1 kg



Multifunctional spar

For attaching further accessories •

Order no.	W x D x H (mm)
704711 For table width 1600	1055 x 40 x 40 Weight 2 kg
704710 For table width 2000	1640 x 40 x 40 Weight 4 kg
705081	Multipurpose shelf 315 x 240 x 130 Weight 3 kg
704714	Holder incl. 5 stor- age bins, size 7



W x D x H (mm)

1145 x 455 x 40

1730 x 455 x 40

Weight 1 kg

Weight 1 kg

Utensil holder XXL

Order no.

For table width 1600

For table width 2000

207002

207001

- For mounting on multifunctional spar . 704711 / 704710
- incl. dividers

Order no.	W x D x H (mm)
705116	800 x 200 x 90
For table width 1600	Weight 6 kg
705100	1616 x 200 x 90
For table width 2000	Weight 7 kg



Holder for storage boxes

•

- Document shelf, suitable for A4 baskets •
- Mounted under storage shelf • 704750/704740
 - Storage boxes not included

Order no.	W x D x H (mm)
707600	265 x 375 x 330 Interior dimensions 260 x 365 x 285 Weight 5 kg



All shelves are infinitely adjustable in the height for adapting them to your needs.

Accessories on and underneath the table SYSTEM 1600, SYSTEM 2000



Backboard with power strip

- Power strip for use with sockets no. 2072
- Incl. plastic cover
- 4x socket strip

4.

Steel drawer

Order no.

200600

•

Lockable

Plastic guide rail

With drawer stops

Load capacity 35 kg

Order no.	W x D x H (mm)
208516	1590 x 50 x 100
For table width 1600	Weight 8 kg
208520	1890 x 50 x 100
For table width 2000	Weight 11 kg



Backboard

.

Square tubing 40 x 40 mm

Order no.	W x D x H (mm)
126000	1200 x 40 x 40
For table width 1200	Weight 4 kg
166000	1600 x 40 x 40
For table width 1600	Weight 4 kg
206000	2000 x 40 x 40
For table width 2000	Weight 5 kg



Two drawers

•

- Separately lockable
- For use on right and/or left underneath table
- Telescopic guide rail
- Load capacity per drawer 20 kg

Order no.	W x D x H (mm)
200620	520 x 500 x 320 Interior dimensions: 460 x 495 x 120 Weight 16 kg



Steel container

- Mobile
- With 4 castors, 2 with brake function
- With plastic insert for waste disposal
- Max. load capacity 30 kg.

Order no.	W x D x H (mm)
200800	500 x 650 x 525 Weight 18 kg



Bottom shelf • Max surface load

 Max. surface load 50 kg

Order no.	W x D x H (mm)
160900	1135 x 650 x 19
For table width 1600	Weight 16 kg
200900	1720 x 770 x 19
For table width 2000	Weight 25 kg



Cupboard unit

- With 1 drawer and 1 cupboard door
- Separately lockable
- Cupboard door can be hung on right or left

Order no.	W x D x H (mm)
2011	535 x 600 x 785 Interior dimensions:
	490 x 570 x 430
	Weight 45 kg



For use on right and/or left underneath table

W x D x H (mm)

520 x 500 x 150 Interior dimensions: 460 x 495 x 120 Weight 9 kg

Drawer unit

- With 3 drawers
- Central locking mechanism
- Retraction 420 mm
- Max. load 25 kg per drawer

Order no.	W x D x H (mm)
2010	535 x 600 x 785 Interior dimensions: 490 x 570 x 430 Weight 45 kg



Castor set

- For variable height packing tables .
- Set of 4 castors, 2 with brake function
- ø 125 mm
- Height 162 mm •

Order no.	W x D x H (mm)
2030-2 For table width 1600 and table width 2000	ø 125



Add-on cutter

- Max. clamping range 70 mm
- Suitable for 203000 and 503000 •

Order no.	W x D x H (mm)
55107	Cutting width 750 mm
55110	Cutting width 1000 mm
55112	Cutting width 1250 mm



Undertable cutter, mobile

- Dispensing height 580 mm •
- Order no. 25507, suitable for order nos. 2011 and 2010
- 4 castors, of which 2 are lockable
- Max. roll weight 200 kg
- Max. roll Ø 750 mm

Order no.	W x D x H (mm)
25507	Cutting width 750 mm
25510	Cutting width 1000 mm
25512	Cutting width 1250 mm



Spindle set, complete

13.

- Spindle tube diameter 32 mm, for roll widths up to 1600 mm
- 1 pair of cones and clamp rings for adjusting roll and spindle
- Max. roll weight 100 kg

Order no.	W x D x H (mm)
23900	1850 x 32 Ø Weight 4 kg
23800	Horiz. bearing shell for roll spindle Weight 1 kg

Other cutters from page 80 11.

Mobile roll dispenser

- Order no. 23107 ٠
- 4 castors, of which 2 are lockable •
- Max. roll weight 200 kg • .
 - Max. roll Ø 500 mm

Order no.	W x D x H (mm)
23107	Max. roll width 750 mm
23110	Max. roll width 1000 mm
23112	Max. roll width 1250 mm



Undertable storage rack, mobile

- One level, for approx. 100 folding cartons • •
 - 4 castors, of which 2 are lockable
 - Max. surface load 100 kg

•

Order no.	W x D x H (mm)
2042 Undertable storage rack, short, 1 level	1015 x 600 x 604 Weight 21 kg
2042-1 Undertable storage rack Short, 1 level, with telescopic handle	1015 x 600 x 690 Weight 23 kg



Undertable storage rack, mobile

- One level, for approx. 160 folding cartons
- 4 castors, of which 2 are lockable
- Max. surface load 100 kg .

Order no.	W x D x H (mm)
2043 Undertable storage rack, long, 1 level	1600 x 600 x 604 Weight 27 kg
2043-1 Undertable storage rack, long, 1 level, with telescopic handle	1600 x 600 x 690 Weight 31 kg

IT accessories SYSTEM 1200, SYSTEM 1600, SYSTEM 2000



Support column with screw clamp

- For attaching a TFT folding arm and a keyboard tray
- Aluminium profile with clamp attachment

Order no.	W x D x H (mm)
509001 Clamping	51 x 51 x 445
range 14-40 mm	Weight 1.5 kg
509002 Clamping	51 x 51 x 445
range 5-65 mm	Weight 2 kg



Profile rail for PC folding arms

- Upright attachment with 2 clamp sections
- With 3 fastening grooves
- Suitable for double workplaces
 - Weight 2 kg

Order no.	W x D x H (mm)
509005	H: 750



TFT folding arms

- For flexible attachment of a TFT monitor
- VESA 75/100 quick-release attachment

Order no.	W x D x H (mm)
509203	100 x 455 x 115
Load capacity 5 kg	Weight 1.6 kg
509204	100 x 455 x 200
Load capacity 15 kg	Weight 2.1 kg



TFT support carriage

- For flexible attachment of a TFT monitor on the supporting column or adapter
- Load capacity 12 kg
- Weight 1 kg

Order no.	W x D x H (mm)
509202	100 x 125 x 115



Keyboard and mouse platform with folding arm

- For flexible attachment to the supporting column or adapter
- Load capacity 10 kg

Order no.	W x D x H (mm)
509201	Shelf size 640 x 172 mm



Upright adapter

Adapter for folding arm and support carriage

Order no.	W x D x H (mm)
509003 For attaching 509201, 509202, 509203	47 x 67 x 120
509004 For attaching 509204	47 x 67 x 200



PC holder

For mounting underneath packing table
 Incl. fastening screws and drilling template

Order no.	W x D x H (mm)
228100	100-242 x 150 x 320-545 Weight 3 kg
228101 Upright attachment for PC holder	130 x 240 x 120



Mini PC holder

- For mounting underneath packing table
- Interior height 205-360 mm
- Interior width 50-100 mm
- Weight 2 kg

Order no.	W x D x H (mm)
228110	160 x 115 x 240-395



Retracting keyboard and mouse platform

- Space-saving holder for mounting underneath storage shelf 704750
- Weight 2 kg

Order no.	W x D x H (mm)
208120	600 x 420 x 110



Keyboard and mouse platform

- With non-slip rubber surface for mount-ing on universal shelf 2082 .
- Weight 5 kg

Order no.	W x D x H (mm)
20812	760 x 210 x 20



Printer trolley, undertable version

- With storage tray for paper .
- Mobile
- With 4 castors, 2 with brake function .
- Load capacity 50 kg
- Weight 20 kg •

Order no.	W x D x H (mm)
204250	500 x 600 x 240



Retracting printer platform

For mounting on add-on storage rack no. 2053, 1653, 2053D, 1653D ٠

W x D x H (mm)

375 x 658 x 100

Weight 11 kg •

Order no.

205350

14.



٠

Order no.	W x D x H (mm)
2082	440 x 520 x 90

4-socket outlet

- Clamp assembly on uprights .
- Incl. 2.90 m connecting cable •
- Weight 1 kg .

Order no.	W x D x H (mm)
2074	61 x 45 x 304



Ergonomic accessories and lifting aids SYSTEM 1600, SYSTEM 2000

Information about ergonomics from page 6



Floor mat made of soft PVC

With grid gaps

Order no.	W x D x H (mm)
600003	1000 x 600 Weight 4 kg
600001	1500 x 600 Weight 6 kg
600002	2000 x 600 Weight 8 kg



Ergonomic workplace mat

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping

Anti-slip surface


Order no.	W x D x H (mm)
600004	1350 x 1000 x 16
Dry version	Weight 19 kg
600005	1350 x 1000 x 16
Wet version	Weight 18 kg



Ergonomic workplace mat

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
 - Anti-slip surface

Order no.	W x D x H (mm)
600014	1000 x 650 x 10
Basic slim version	Weight 6 kg
600015	1000 x 650 x 13
Basic grip version	Weight 7 kg



Ergonomic workplace mat

- Puzzle joint
- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface

Order no.	W x D x H (mm)
600007	1300 x 1000 x 16
Puzzle variant D	Weight 30 kg
600009	1240 x 1000 x 16
Puzzle variant E	Weight 15 kg



ErgoPlus 3000 standing aid

Incl. foot rest

.

- Infinite adjustment of the seat cushion
- Collapsible
- . Weight 12 kg

Order no.	W x D x H (mm)
519192	670 x 500 x 1100



Saddle stool

- Ergonomic saddle seat
- Seat tilt adjustment
- Adjustment range 630-890 mm
- Weight 10 kg

Order no.	W x D x H (mm)
852086	478 x 445 x 660



Ergonomic swivel chair

- Seat and back: synthetic leather upholstery
- Adjustment range 500-570 mm
 360° module for "moving" sitting with
- individually adjustable spring force
 Cruciform base: plastic, black RAL 9005 with load-dependent, braked soft castors
- IGR-certified
- Weight 14 kg

Order no.	W x D x H (mm)
852087	450 x 440 x 500



FootrestWith inclined tread surface



Footrest

- Variable height 110-320 mm
- Moveable plastic tread plate
- Adjustable angle: 0°-30°
- Weight 7 kg

Order no.	W x D x H (mm)
5185	470 x 370 x 120

Order no.	W x D x H (mm)
852038	520 x 375 x 140



Corner tables

Order no.	W x D x H (mm)
203100 Free-standing with 4 legs, max. load capacity 300 kg	960 x 920 x 690-960
203110 Attached, square with stand leg, max. surface load 50 kg	920 x 920 x 690-960
203120 Attached, trapezoid with stand leg, max. surface load 50 kg	920 x 700 x 690-960



Side table for carton scale Max. surface load 100 kg

Order no.	W x D x H (mm)
209000	600 x 600 x 770 Weight 17 kg
209034	600 x 600 x 605-875 Weight 19 kg



Packing and order picking trolley

- Height adjustment with gas pressure cylinder
- Max. load capacity 30 kg
- Weight 52 kg

٠

Order no.	W x D x H (mm)
209040	680 x 870 x 670-960



Pneumatic lift table

- Allows effortless lifting and lowering of heavy cartons
- Requires 6 bar compressed air supply
- Weight 50 kg
- Max. load capacity 60 kg

Order no.	W x D x H (mm)
209100	600 x 600 x 500-710



Pneumatic lift table, stainless steel platform

- Stainless steel platform WxD 450x600 mm
- Lift height 500 mm
- Incl. foot switch
- Table prepared for bolting to floor
- Mounting materials not included
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg

Order no.	W x D x H (mm)
209101 Lift height 200-700 mm	450 x 735 x 1275



Pneumatic lift table, stainless steel platform

- Stainless steel platform WxD 450x600 mm
- Lift height 500 mm resp. 700 mm
- Incl. foot switch
- Table with pedestal base
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg

Order no.	W x D x H (mm)
209103 Lift height 250 - 750 mm	450 x 845 x 1320
209104 Lift height 250 - 950 mm	450 x 840 x 1720

Other accessories SYSTEM 1600, SYSTEM 2000



Cut-resistant overlay

- Transparent
- For traceless cuts
- Lightly anti-slip surface

Order no.	W x D x H (mm)
509400	900 x 600 x 3 Weight 2 kg



Slice - Auto-Retractable Box Cutter

- Incl. one double-sided ceramic blade
- Automatically retractable blade
- 8-10 times sharper than a steel blade
- Easy blade change
- Injury-proof handling

Order no.	W x D x H (mm)	
99090238		



Display panel holder with magnetic attachment

- Display panel holder with 5 display panels, black
- Metal wall holder with magnetic back

Order no.	W x D x H (mm)
591401	



Cut-resistant overlay

- Protects parts of the worktop against damage from mechanical strain
- Bonded to table top with the supplied adhesive pads

Order no.	W x D x H (mm)
203095 Stainless steel	1000 x 800 x 2 Weight 13 kg
203096 Galvanised sheet steel	1000 x 800 x 2 Weight 12 kg



Solo Lift Pro carry aid

• Practical, single-handed lifting aid for small, light boxes

Order no.	W x D x H (mm)	
99090233		



Display panel holder as table stand-up display

- Complete set made of powder-coated steel for table top use
- L-shaped, metal table stand-up display with 10 display panels, assorted colours

Order no.	W x D x H (mm)
557000	



Waste container made of PP cavity sheeting

- Mould and moisture-proof For hygienic applications, no fibre forma-
- tion on the surface
- Shock-absorbing
 Set = 2 pcs.

Order no.	W x D x H (mm)	
2056	600 x 500 x 600	



Dual Lift Pro carry aid

- With 2 belt pouches
- Safe lifting of large and heavy cartons through effective load distribution

Order no.	W x D x H (mm)	
99090234		



A4 display panel

- 5 display panels
- Polypropylene display panels with black
 all-round profile frame
- For DIN A4 info sheets

Order no.	W x D x H (mm)	
560601		



Mobile hanging frame
360° swivel mounting

Order no.	W x D x H (mm)
2046	1050 x 700 x 2100- 3500 Weight 50 kg
802045 Extension strut with bracket	Weight 2 kg




Mobile cardboard storage rack

Two levels With handle

•

With Handle		
Order no.	W x D x H (mm)	
2042-2 Cardboard storage rack, short For approx. 200 folding cartons	1015 x 600 x 1260 Weight 42 kg	
2043-2 Cardboard storage rack, long, For approx. 320 folding cartons	1600 x 600 x 1260 Weight 58 kg	



Mobile cardboard storage rack

Three levels With handle •

With handle		
Order no.	W x D x H (mm)	
2042-3 Cardboard storage rack, short For approx. 300 folding cartons	1015 x 600 x 1860 Weight 64 kg	
2043-3 Cardboard storage rack, long, For approx. 480 folding cartons	1600 x 600 x 1860 Weight 88 kg	

SYSTEMATIC



www.huedig-rocholz.de



Page 45

without screws.

SYSTEM FLEX



Combine the possibilities

Ergonomics play a key role, but not at the expense of flexibility. The top section of the mounting profile can be mounted upright or inclined by 20 degrees. This significantly improves the grip position of the shelves and accessories. By detaching the uprights from the table leg, the structures can additionally be moved horizontally to any position to accommodate conveyor system connections, for instance.



Special features at a glance:

- The HR profile tube combines the advantages of an aluminium profile and a sturdy steel construction to create a totally innovative and exceedingly flexible concept.
- The front sides of the HR mounting profiles have a grid perforation of 39:39 mm for quickly hanging on shelves, roll holders and other components without screws. This means that you can easily adapt the table to suit your processes, even when they change.
- The lateral grooves are used to attach components such as perforated back panels, monitor swivel arms and other accessories and flexibly adjust their height. New accessories can be easily added as required.
- The top section of the HR mounting profile can be mounted upright or inclined by 20 degrees. This significantly improves the grip position of the add-on parts! The grip area becomes more ergonomic for the workers. The carrier arms can also be mounted at an angle of -20°, 0° and +20°. This results in numerous combination possibilities.
- By detaching the uprights from the table leg, the structures can also be infinitely moved horizontally on the frame to accommodate conveyor system connections, for instance.
 - The only packing table that has been certified by the German interest group of back-training teachers as an ergonomic product (as of 08.05.15).
 - Daisy-chaining, integration and adaptation options offer countless possibilities from single workplaces up to complete packaging lines.








"Switching to the FLEX table system has resulted in a time optimisation of 20% per order in our de-

livery department. At the same time, our employees are motivated and relaxed when they finish work. We hadn't reckoned with that." Jan H., logistics manager

SYSTEM FLEX







From page 50, put together a SYSTEM FLEX station to meet your specific needs!

Basic table SYSTEM FLEX



SYSTEM FLEX basic table

Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 690-960 mm with clamping screws, worktop 30 mm thick, melamine resin coating, light grey surface with 2 mm ABS edge, functional struts in accentuating colour, max. surface load 300 kg

Dimensions	Accentuating colour	Order no.
W x D x H: 1200 x 800 x 690-960 mm	Ruby red	7300000
W x D x H: 1200 x 800 x 690-960 mm	Gentian blue	73000001
W x D x H: 1600 x 800 x 690-960 mm	Ruby red	73000100
W x D x H: 1600 x 800 x 690-960 mm	Gentian blue	73000101
W x D x H: 2000 x 800 x 690-960 mm	Ruby red	73000200
W x D x H: 2000 x 800 x 690-960 mm	Gentian blue	73000202

SYSTEM FLEX basic table with electrical height adjustment

Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 720-1120 mm with electric motor, worktop 30 mm thick, melamine resin coating, light grey surface with 2 mm ABS edge, functional struts in accentuating colour, max. surface load 300 kg

Dimensions	Accentuating colour	Order no.
W x D x H: 1200 x 800 x 720-1120 mm	Ruby red	73000600
W x D x H: 1200 x 800 x 720-1120 mm	Gentian blue	73000601
W x D x H: 1600 x 800 x 720-1120 mm	Ruby red	73000700
W x D x H: 1600 x 800 x 720-1120 mm	Gentian blue	73000701
W x D x H: 2000 x 800 x 720-1120 mm	Ruby red	73000800
W x D x H: 2000 x 800 x 720-1120 mm	Gentian blue	73000801

SYSTEM FLEX Table frame M

Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 720-1120 mm with clamp screws, functional struts in accentuating colour


Dimensions	Accentuating colour	Order no.
W x D x H: 1200 x 800 x 690-960 mm	Ruby red	73100000
W x D x H: 1200 x 800 x 690-960 mm	Gentian blue	73100001
W x D x H: 1600 x 800 x 690-960 mm	Ruby red	73100900
W x D x H: 1600 x 800 x 690-960 mm	Gentian blue	73100901
W x D x H: 2000 x 800 x 690-960 mm	Ruby red	73100202
W x D x H: 2000 x 800 x 690-960 mm	Gentian blue	73100201

SYSTEM FLEX table frame E with electrical height adjustment

Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 690-1090 mm with electric motor, functional struts in accentuating colour

Dimensions	Accentuating colour	Order no.
W x D x H: 1200 x 800 x 690-1090 mm	Ruby red	73100600
W x D x H: 1200 x 800 x 690-1090 mm	Gentian blue	73100601
W x D x H: 1600 x 800 x 690-1090 mm	Ruby red	73100700
W x D x H: 1600 x 800 x 690-1090 mm	Gentian blue	73100701
W x D x H: 2000 x 800 x 690-1090 mm	Ruby red	73100800
W x D x H: 2000 x 800 x 690-1090 mm	Gentian blue	73100801





Worktops **SYSTEM FLEX**



SYSTEM FLEX table top

- 30 mm worktop .
- Melamine resin coating •
- Light grey surface with 2 mm ABS edge •

Order no.	W x D x H (mm)
73200010 Standard	1200 x 800 x 30
73200300 ESD conductivity as per IEC 61340-5-1	1200 x 800 x 30
73200110 Standard	1600 x 800 x 30
73200400 ESD conductivity as per IEC 61340-5-1	1600 x 800 x 30
73200210 Standard	2000 x 800 x 30
73200500 ESD conductivity as per IEC 61340-5-1	2000 x 800 x 30



Table tops with scale cutout

30 mm worktop

•

- Melamine resin coating
- Light grey surface with 2 mm ABS edge •
- Scale cutout: W x D: 516x416 mm . •
 - Scale cutout left or right

Order no.	W x D x H (mm)
73200610 Standard	1200 x 800 x 30
73200700 Standard	1600 x 800 x 30
73200800 Standard	2000 x 800 x 30



Table tops with scale cutout

- 30 mm worktop ٠
 - Melamine resin coating
- Light grey surface with 2 mm ABS edge •
- Scale cutout: W x D: 516x416 mm
- Scale cutout in centre •

Order no.	W x D x H (mm)
73201200 Standard	1200 x 800 x 30
73201300 Standard	1600 x 800 x 30
73201400 Standard	2000 x 800 x 30

For table tops with a scale cutout, a mounting plate must be ordered to integrate a scale. Order no. 73203700

.



Table top, stainless steel cover 30 mm worktop •

Order no.	W x D x H (mm)
73202100	1200 x 800 x 30
73202200	1600 x 800 x 30
73202300	2000 x 800 x 30

5.

Multiplex table top

30 mm worktop, oiled

Order no.	W x D x H (mm)
73202400 Multiplex	1200 x 800 x 30
73202700 Finger-jointed	1200 x 800 x 30
73202500 Multiplex	1600 x 800 x 30
73202800 Finger-jointed	1600 x 800 x 30
73202600 Multiplex	2000 x 800 x 30
73202900 Finger-jointed	2000 x 800 x 30




Bottom shelf

Max. surface load 50 kg


Max. surface load 50 kg		
Order no.	W x D x H (mm)	
73300400 Standard	1195 x 650 x 19	
73300700 ESD	1195 x 650 x 19	
73300500 Standard	1595 x 650 x 19	
73300800 ESD	1595 x 650 x 19	
73308400 Standard	1995 x 650 x 19	
73300900 ESD	1995 x 650 x 19	

SYSTEM FLEX mounting profiles and shelves The HR mounting profile combines the advantages of an aluminium profile and sturdy steel structure to create an innovative, flexible concept.



HR mounting profile, long

- With 2 functional grooves
- With 2 rows of system perforations
- Divided for upright or inclined mounting .




HR mounting profile, short (basic)

- With 2 functional grooves
- With 2 rows of system perforations •
- Height above table: 520 mm .

Order no.	W x D x H (mm)
73308000 Long version (1.)	1745 x 40 x 40
73308100 Assembly set for inclined installation (2.)	1745 x 40 x 40

Order no.	W x D x H (mm)
73309200 (3.)	1055 x 40 x 40




Retracting shelf

- For screwing into system grooves in mounting profiles
- Adjustable height in system perforations
- Ideal for label printers
- Max. surface load 40kg

Order no.	W x D x H (mm)
73303600 Ruby red	800 x 500 x 140
73303601 Gentian blue	800 x 500 x 140
73303702 Ruby red	1000 x 500 x 140
73303701 Gentian blue	1000 x 500 x 140


Shelves

For hooking into the system perforations in the mounting profiles, for inclining at -20°, 0° and +20°. Different widths and depths at two heights allow for countless combinations. The shelves are prepared for the use of shelf dividers and stop brackets. Shelf types A and type B are supplied with carrier arms. Max. surface load 25kg.



Shelves, type A

Order no.	W x D x H (mm)
73306900 Ruby red	800 x 200
73306901 Gentian blue	800 x 200
73307000 Ruby red	800 x 300
73307001 Gentian blue	800 x 300
73307100 Ruby red	800 x 400
73307101 Gentian blue	800 x 400
73307200 Ruby red	1000 x 200
73307201 Gentian blue	1000 x 200
73307300 Ruby red	1000 x 300
73307301 Gentian blue	1000 x 300
73307400 Ruby red	1000 x 400
73307401 Gentian blue	1000 x 400



Shelves, type B

Order no.	W x D x H (mm)
73307500 Ruby red	800 x 300
73307501 Gentian blue	800 x 300
73307600 Ruby red	1000 x 300
73307601 Gentian blue	1000 x 300

Please note for two-sided shelving:

For shelves that are at right angles to a straight spar, please order two storage shelves type A.

SYSTEM FLEX lamps and lighting accessories



Workplace lighting

- 73308900 T5 lamps with conical prismatic shade
- 73309000 LED technology
- Without connecting cable

Order no.	W x D x H (mm)
73308900 T5 39 W	899 x 50 x 187
7330900 LED 33 W	899 x 50 x 187
73310200 Power cord 3 m	
73311400 Connecting cable 2.5 m	



Lighting fixtures

2x tube for pipe shelf for screwing onto carrier arms 1x assembly set

Order no.	W x D x H (mm)
73306700 For mounting width 800 mm	
73306800 For mounting width 1000 mm	




Carrier arm

- For hooking the lighting fixture directly onto the HR mounting profile
- Three carrier arms are required

Order no.	W x D x H (mm)
73301200 Ruby red	400
73301201 Gentian blue	400

The power cord and/or connecting cable for the workplace lighting must be ordered separately.

SYSTEM FLEX scales and weighing accessories



- Digital table scale 60 kg
 Evaluation unit made of ABS plastic
- 2 m measuring cable with plug connector 230 V mains connection via external power adapter, 1.8 m cable Powder-coated, stainless steel weighing platform, $W \ge 1500x400$ mm, for max. weight 60 kg, 20 g scale divisions, 1 strain gauge load cell made of anodised aluminium alloy, IP 66

Order no.	W x D x H (mm)
897052	400 x 500 x 82 Weighing area



Digital table scale, 60 kg, with cal-ibration function, PC connection • Stainless steel evaluation unit, protection class IP 67, 25 mm LCD display for gross, net or tare weight, tare correction, 10 customisable printouts, 1 RS232 serial

- port Powder-coated, stainless steel weighing platform, WxD: 500x400 mm, for max. weight 60 kg, 20 g scale divisions, 1 strain gauge load cell of anodised aluminium alloy, IP 66

Order no.	W x D x H (mm)
897062	400 x 500 x 82 Weighing area




Holder for scale display unit

- For flexible attachment of a scale display unit to the mounting profile with the supplied adapter
- Data cable must have a min. length of 2000 mm.
- Load capacity 15 kg

Order no.	W x D x H (mm)
73310700	325


SYSTEM FLEX accessories



Perforated back panel

- For screwing into system grooves in HR mounting profiles
- Infinitely variable height, fits flush at the front and back (in the depth) with the HR mounting profiles

Order no.	W x D x H (mm)
73305900 Ruby red	1000 x 30 x 100
73305901 Gentian blue	1000 x 30 x 100
73302300 Ruby red	1000 x 30 x 200
73302301 Gentian blue	1000 x 30 x 200
73306002 Ruby red	1000 x 30 x 500
73306001 Gentian blue	1000 x 30 x 500
73305500 Ruby red	800 x 30 x 100
73305501 Gentian blue	800 x 30 x 100
73302200 Ruby red	800 x 30 x 200
73302201 Gentian blue	800 x 30 x 200
73303400 Ruby red	800 x 30 x 500
73303401 Gentian blue	800 x 30 x 500




Partition

.

Angled, for flexible positioning anywhere on the shelf to create different storage widths

Order no.	W x D x H (mm)
73311700 200 mm deep shelves	D x H 200 x 180
73311800 300 mm deep shelves	D x H 300 x 180



Cover rail

For mounting between HR mounting profiles when using a combination of front and rear shelves, level installation

Order no.	W x D x H (mm)
73312000 For mounting width 800 mm	736 x 73 x 30
73312100 For mounting width 1000 mm	936 x 73 x 30



Cover rail for double workplaces

 For installation between the HR mounting profiles

Order no.	W x D x H (mm)
73600050	800 x 40
73312900	1000 x 40



Stop edge

• For screwing onto the front of a shelf

• Continuous edge when using the full shelf depth

Order no.	W x D x H (mm)
73302000 Ruby red	800
73302001 Gentian blue	800
73309400 Ruby red	1000
73309401 Gentian blue	1000



Utensils rack, complete

- For hooking into the system perforations
- in the HR mounting profiles
 For storing rolls of adhesive t
- For storing rolls of adhesive tape, etc.
- Incl. 4 dividers


Order no.	W x D x H (mm)
73312600	1000 x 200
73312601	1000 x 200
73312500	800 x 200
73312501	800 x 200



Stop bracket

For inserting into the shelf perforation rows

Order no.	W x D x H (mm)
73301900	250



Shelf dividers

•

• For inserting into the shelf perforations

• Open shelf divider

Set = 4 pcs.

Order no.	W x D x H (mm)
73308800	300 x 400



Single drawers, lockable

- Front height: 150 mm
- Incl. assembly set
- Load capacity 35 kg

Order no.	W x D x H (mm)
73305100 Ruby red	527 x 630 x 225 Interior dimensions: 459 x 442 x 125
73305101 Gentian blue	527 x 630 x 225 Interior dimensions: 459 x 442 x 125



Complement drawers

- Front height: 150 mm
- Locking, incl. assembly set
- Load capacity per drawer 35 kg


Order no.	W x D x H (mm)
73314600 Ruby red	527 x 630 x 200 Interior dimensions: 450 x 445 x 120
73314601 Gentian blue	527 x 510 x 200 Interior dimensions: 450 x 445 x 120



Add-on cutter

- Cutting width 750 mm
- For hooking on to the HR mounting profile

Order no.	W x D x H (mm)
73303900	1000 x 50 x 150



Spindle set, complete

.

- Comprising: 1 pair of cones, 4 clamp rings,
 1 spindle
- Spindle tube diameter 32 mm
- Max. roll weight 100 kg

Order no.	W x D x H (mm)
73313100 For table width 1200	
73313200 For table width 1600	
73313300 For table width 2000	



Roll holder

- For screw attachment to HR mounting profile
- Max. roll weight 25 kg
- Max. roll width 750 mm

Order no.	W x D x H (mm)
73304000	1000 x 450



Holder for adhesive tape dispenser

- For attachment to HR mounting profile
- Suitable for many common dispensers

Order no.	W x D x H (mm)
73308200	95 x 38 x 78

SYSTEM FLEX IT accessories



Thin client holder

- For screwing into the system grooves in the HR mounting profile
- Infinitely variable height adjustment

Order no.	W x D x H (mm)
73308300	300 x 70-120



TFT folding arms

- For flexible attachment of a TFT monitor to the HR mounting profile
- VESA 75/100 quick-release attachment

Order no.	W x D x H (mm)
509203	100 x 455 x 115
Load capacity 5 kg	Weight 1.6 kg
509204	100 x 455 x 200
Load capacity 15 kg	Weight 2.1 kg



Shelves incl. retracting keyboard tray

- Incl. carrier arms
- Shelf and keyboard drawer with retracting mouse tray
- Horizontal sliding adjustment

Order no.	W x D x H (mm)
73308600 Ruby red	800
73308601 Gentian blue	800
73308700 Ruby red	1000
73308701 Gentian blue	1000



Mini PC holder

- For mounting underneath the table, adjustable: interior height 205-360 mm,
- interior width 50-100 mm
- Incl. fastening screws and drilling template

Order no.	W x D x H (mm)	
228110	160 x 115 x 240-395	



Keyboard and mouse platform with folding arm

- For flexible attachment to the HR mounting profile
- Shelf area: 640x172 mm
- Load capacity 10 kg

.

.

Order no.	W x D x H (mm)
509201	640 x 508 x 120



- Cable tray
- For attachment to the table functional struts

Order no.	W x D x H (mm)
73600088	600 x 125 x 116
73600026	800 x 125 x 116
73311600 Black, without power cord	61 x 45 x 304
73310200 Power cord 3 m	
73311400 Connecting cable 2.5 m	



PC holder

- For mounting underneath the table, adjustable:
 - interior height 307-531 mm,
 - interior width 78-220 mm
- Incl. fastening screws and drilling template
- Weight 3 kg


Order no.	W x D x H (mm)
228100	100-242 x 150 x 320-545



Adapter for TFT folding arms 509204 and 509203

- For attaching TFT folding arms to inclined HR mounting profiles
- For positioning as required in the system grooves

Order no.	W x D x H (mm)
73313600	




Cable duct

.


- For attachment to shelves
- Can also be used as a cover rail on doublesided shelves

Order no.	W x D x H (mm)
73312700	730 x 72 x 93
73312800	930 x 72 x 93



Cable clips • For cable management on HR profile up-rights Set = 10 pcs.


Order no.	W x D x H (mm)
73312200	69 x 35 x 12



4-socket outlet

For attachment to the HR mounting pro-file using the supplied assembly set . Power connection 230 V, 16 A •


Order no.	W x D x H (mm)
73311600 Black, without power cord	61 x 45 x 304
73310200 Power cord 3 m	
73311400 Connecting cable 2.5 m	



Holder for pens, cable ties, etc. •

Incl. bracket for attaching to HR mounting profiles

Order no.	W x D x H (mm)
73600086	80 x 250



Drawer with extension

- Horizontal sliding adjustment .
- Retracting drawer .
- For mounting underneath shelf sizes 400 mm or 2x200 mm

Order no.	W x D x H (mm)
73600040	771 x 364 x 74
73600015	971 x 364 x 74



- Retracting tray110% extension
- Usable area 500x500 mm •
- Load capacity 50 kg

Order no.	W x D x H (mm)
73312300 Ruby red	580 x 500 x 140
73312301 Gentian blue	580 x 500 x 140

Ergonomic accessories and lifting aids SYSTEM FLEX

Floor mat made of soft PVC

With grid gaps .

1.

Order no.	W x D x H (mm)
600003	1000 x 600 Weight 4 kg
600001	1500 x 600 Weight 6 kg
600002	2000 x 600 Weight 8 kg



Ergonomic workplace mat

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
 - Anti-slip surface

Order no.	W x D x H (mm)
600004	1350 x 1000 x 16
Dry version	Weight 19 kg
600005	1350 x 1000 x 16
Wet version	Weight 18 kg



Information about ergo-


nomics from

page 6

Ergonomic workplace mat

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface

Order no.	W x D x H (mm)
600014	1000 x 650 x 10
Basic slim version	Weight 6 kg
600015	1000 x 650 x 13
Basic grip version	Weight 7 kg



Ergonomic workplace mat

- Puzzle joint
- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping .
- Anti-slip surface •

Order no.	W x D x H (mm)
600007	1300 x 1000 x 16
Puzzle variant D	Weight 30 kg
600009	1240 x 1000 x 16
Puzzle variant E	Weight 15 kg



ErgoPlus 3000 standing aid

Incl. foot rest

.

•

- Infinite adjustment of the seat cushion
- Collapsible
- Weight 12 kg

Order no.	W x D x H (mm)
519192	670 x 500 x 1100



Saddle stool

- Ergonomic saddle seat
- Seat tilt adjustment
- Adjustment range 630-890 mm •
- . Weight 10 kg

Order no.	W x D x H (mm)
852086	478 x 445 x 660



Ergonomic swivel chair

- Seat and back: synthetic leather uphol-. stery
- Adjustment range 500-570 mm 360° module for "moving" sitting with
- Cruciform base: plastic, black RAL 9005 with load-dependent, braked soft castors
- IGR-certified
- Weight 14 kg .

Order no.	W x D x H (mm)
852087	450 x 440 x 500



Footrest

.

With inclined tread surface



Footrest

- Variable height 110-320 mm
- Moveable plastic tread plate
- Adjustable angle: 0°-30° •
- Weight 7 kg

Order no.	W x D x H (mm)
5185	470 x 370 x 120

Order no.	W x D x H (mm)
852038	520 x 375 x 140



Packing and order picking trolley

- Height adjustment with gas pressure cyl-. inder
- Max. load capacity 30 kg
- Weight 52 kg .

11.

Pneumatic lift table

- Allows effortless lifting and lowering of • heavy cartons
- Requires 6 bar compressed air supply •
- 250 mm lift height •
- Max. load capacity 60 kg •
- Weight 50 kg •

Order no.	W x D x H (mm)
209040	680 x 870 x 670-960

Order no.	W x D x H (mm)
209100	600 x 600 x 500-710



Pneumatic lift table, stainless steel platform ٠

- Stainless steel platform W x D 450x600 mm
- Lift height 500 mm resp. 700 mm .
- Incl. foot switch •
- Table prepared for bolting to floor
- Mounting materials not included •
 - Requires 6 bar compressed air supply •
 - Max. load capacity 60 kg .

Order no.	W x D x H (mm)
209101 Lift height 200-700 mm	450 x 735 x 1275
209102 Lift height 200-900 mm	450 x 735 x 1675



Pneumatic lift table, stainless steel platform

- Stainless steel platform .
- W x D 450x600 mm Lift height 500 mm resp. 700 mm
- Incl. foot switch .
- •
- Table with pedestal base Requires 6 bar compressed air supply •
- Max. load capacity 60 kg .

•	Max. Ioau	capacity	oo kg

Order no.	W x D x H (mm)
209103 Lift height 250-750 mm	450 x 845 x 1320
209104 Lift height 250-950 mm	450 x 840 x 1720

Other accessories SYSTEM FLEX



Cut-resistant overlay

- Transparent
- For traceless cuts
- Lightly anti-slip surface

Order no.	W x D x H (mm)
509400	900 x 600 x 3 Weight 2 kg



Slice - Auto-Retractable Box Cutter

- Incl. one double-sided ceramic blade
- Automatically retractable blade
- 8-10 times sharper than a steel blade
- Easy blade change
- Injury-proof handling

Order no.	W x D x H (mm)
99090238	



Display panel holder with magnetic attachment

- Display panel holder with 5 display panels, black
- Metal wall holder with magnetic back

Order no.	W x D x H (mm)
591401	



Cut-resistant overlay

- Protects parts of the worktop against damage from mechanical strain
- Bonded to worktop with the supplied adhesive pads

Order no.	W x D x H (mm)
203095 Stainless steel	1000 x 800 x 2 Weight 13 kg
203096 Galvanised sheet steel	1000 x 800 x 2 Weight 12 kg



Solo Lift Pro carry aid

٠

Practical, single-handed lifting aid for small, light boxes

Order no.	W x D x H (mm)
99090233	



Display panel holder as table stand-up display

- Complete set made of powder-coated steel for table top use
- L-shaped, metal table stand-up display with 10 display panels, assorted colours

Order no.	W x D x H (mm)
557000	



Waste container made of PP cavity sheeting

- Mould and moisture-proof For hygienic applications, no fibre forma-
- tion on the surfaceShock-absorbing
- Set = 2 pcs.

.

Order no.	W x D x H (mm)
2056	600 x 500 x 600



Dual Lift Pro carry aid

- With 2 belt pouches
- Safe lifting of large and heavy cartons through effective load distribution

Order no.	W x D x H (mm)
99090234	



A4 display panel

- 5 display panels
- Polypropylene display panels with black
 all-round profile frame
- For DIN A4 info sheets

Order no.	W x D x H (mm)
560601	



Mobile hanging frame

• 360° swivel mounting

Order no.	W x D x H (mm)
2046	1050 x 700 x 2100- 3500 Weight 50 kg
802045 Extension strut with bracket	Weight 2 kg



Mobile cardboard storage rack
Two levels

With handle

•

Order no.	W x D x H (mm)
2042-2 Cardboard storage rack, short For approx. 200 folding cartons	1015 x 600 x 1260 Weight 42 kg
2043-2 Cardboard storage rack, long, For approx. 320 folding cartons	1600 x 600 x 1260 Weight 58 kg



Mobile cardboard storage rack

Three levelsWith handle

• With handle	
Order no.	W x D x H (mm)
2042-3 Cardboard storage rack, short For approx. 300 folding cartons	1015 x 600 x 1860 Weight 64 kg
2043-3 Cardboard storage rack, long, For approx. 480 folding cartons	1600 x 600 x 1860 Weight 88 kg



Bottle holder

- Holder for two small bottles or one 1.5 I
 PET bottle
- For flexible attachment in the system groove in the HR mounting profile

Order no.	W x D x H (mm)
73308500	210 x 125 x 130

FANTASTIC





on the following pages at the exceptional and ergonomic profile. Then you too will find that our MODUL 5000 is just fantastic.

Undertable storage rack Add-on storage rack





www.huedig-rocholz.de

The design is exceptional, ergonomic, and has received international awards. Its intelligent construction enables even the basic configuration of the MODUL 5000 to be easily adapted to accommodate personal requirements for working seated or standing up. If required, the working level can also adjusted using a crank mechanism or really conveniently with an electric motor.


- Sturdy steel table
- Worktop 2000 x 880 x 38 mm
- 200 kg surface load capacity
- · Light grey worktop, coated with melamine resin
- Steel components with powder-coated finish, anthracite RAL 7016, ruby red RAL 3003
- Simple height adjustment at 50 mm intervals (720-1070) without tools
- Optional height adjustment with a crank or electric motor
- Extensive range of accessories
- Tables with an integrated scale and/or roller track







The MODUL 5000 is also ideal as an office workplace. Its "floating table top" means that there are no table legs to get in the way when you're sitting at it. The attractive design blends into every modern office landscape.





880

1040

720-1070

IN GERMANY



Maximalistic

The MODUL 5000 can also be equipped as a dual order picking and packing station. The top level serves as a cardboard storage rack, while the picking products are readily available underneath it on a slanting shelf. The counting scale integrated in the packing table features a PC interface as well as printer and scanner ports.

The integrated pneumatic lift table moves packing items weighing up to 60 kg and allows for effortless order picking or packing. The products are conveniently transported to the conveyor system over the roller track table standing next to the station. This prevents muscle and back ailments, a frequent cause of incapacity for work.

Ergonomics and design

The MODUL 5000 packing table with integrated roller track is a real highlight. The work surface made of galvanised sheet steel also offers enough space to "fix" even large cartons. The table height can be adjusted to between 770 and 1120 mm. This enables you to integrate it in your order picking and packaging processes.

- Ergonomic intersection for an uninterrupted flow of goods
- Integrated roller track
- Height adjustment at 50 mm intervals (720-1070)
- Optional height adjustment with a crank or electric motor
- Exceptional and ergonomic design
- Ergonomic positioning of the accessories by means of the inclined uprights









The tables from the MODUL 5000 programme have an adjustable height of 720-1070 mm: manu-

ally at 50 mm increments, or infinitely with a crank or electric motor!







Special features at a glance:

An exceptional and ergonomic design that has received international awards.

- Can be quickly and easily adapted to accommodate personal requirements for working seated or standing up.. The working level can also be adjusted as required with a crank mechanism or electric motor.
- The modular system can be expanded and adapted for new requirements whenever necessary with elements from the extensive range of accessories. This assures you long-term security for your investment.
 - Also available in combination with an integrated scale and roller track.
 - With the MODUL 5000, we and our distribution partners can also offer you custom solutions for your own requirements.









Alongside high quality standards, being located in Germany also means that we can guarantee short delivery times and efficiently supply accessories and spare parts.

Basic **MODUL 5000**



MODUL 5000 packing and work table

- Base frame and table support arms made of 100 x 40 mm tubular steel
- 38 mm table top, height adjustable at 50 mm intervals (720-1070 mm)
- Laminated with light grey plastic, with non-reflecting surface and rounded edges Max. surface load 200 kg


Order no.	W x D x H (mm)
503000	2000 x 1040 x 1330



MODUL 5000 packing and work table

- Base frame and table support arms made of 100 x 40 mm tubular steel
- 38 mm table top, height can be adjusted using insertable crank (720-1070 mm)
- Laminated with light grey plastic, with non-reflecting surface and rounded edges Max. surface load 200 kg

Order no.	W x D x H (mm)
503500	2000 x 1040 x 1330



Roller track table with work surface

- Height adjustment at 50 mm intervals (770-1070)
- Packing table with integrated roller track
- Roller width 600 mm
- Work surface 1955 x 251 mm
- Made of galvanised sheet steel
- Design as for table 503000
- Compatible with accessories for the **MODUL 5000**

Order no.	W x D x H (mm)
503010 Height adjustment at 50 mm intervals 770-1120 mm	1955 x 1040 x 1330
503510 Height adjust- ment with crank 770-1120 mm	1955 x 1040 x 1330
503810 Electric height adjustment: 770-1120 mm	1955 x 1040 x 1330





- Adjustable height 570-1070 mm Height adjustment at 50 mm intervals
- 38 mm table top
- Max. load capacity 100 kg

Order no.	W x D x H (mm)
5090	800 x 840 x 1330



MODUL 5000 packing and work table

- Pushbutton-controlled, infinitely variable height adjustment 720-1070 mm, with cable duct
- Max. load when adjusting 100 kg
- Electrical connection 230 V, 50 Hz .
- Max. surface load 200 kg

Order no.	W x D x H (mm)
503800	2000 x 1040 x 1330



Roller track table with work surface

- With integrated digital carton scale for max. 60 kg, calibrated
- With separate display unit
- Supplied with interface cable
- Work surface 1955 x 251 mm, made of galvanised steel
- Roller width 600 mm, spacing 75 mm, diameter 50 mm
- Base frame and table support arms made of 100 x 40 mm tubular steel

Order no.	W x D x H (mm)
503012 Height adjustment at 50 mm intervals 770-1120 mm	1955 x 1040 x 1330
503512 Height adjust- ment with crank 770-1120 mm	1955 x 1040 x 1330
503812 Electric height adjustment: 770-1120 mm	1955 x 1040 x 1330

|--|--|

À

Packing and work table with scale

- With integrated calibrating digital carton scale
- For max. 60 kg, incl. PC interface
- Scale division 20g

4.

- Stainless steel platform
- With separate display unit


Order no.	W x D x H (mm)
503042 Weight 110 kg	2000 x 1040 x 1330
503542 Adjustable height with crank 720-1070 mm	2000 x 1040 x 1330
503842 Electric height ad- justment 720-1070 mm	2000 x 1040 x 1330



End stop for roller track



Accessories above the table **MODUL 5000**



Uprights

- For attachment to the top table extensions
- With perforations for attaching various shelves
- Different levels
- Weight 8 kg

Order no.	W x D x H (mm)
5064	40 x 95 x 950



Storage shelf

- For packing materials, forms, etc.
- For attachment in the perforations in the top upright
- Max. surface load 70 kg
- Steel frame with shelf
- Weight 18 kg

5.

Order no.

5091

Order no.	W x D x H (mm)
505000	1705 x 400



Add-on storage rack

- With 9 steel wire dividers
- For attachment at varying heights in the . perforations of the top upright Max. surface load 100 kg
- Space for approx. 160 folding cartons
- Weight 28 kg

Order no.	W x D x H (mm)
505300	1705 x 550 x 40



- Bracket for scale display unit
- For mounting on tubular cross members . Weight 1 kg .

W x D x H (mm)

120 x 92 x 42



Storage shelf

- For mounting on tubular cross members
- Max. surface load 50 kg
- Weight 17 kg

Order no.	W x D x H (mm)
5051	1705 x 295



Workplace lighting

- Anti-glare workplace lighting ٠
- Lamp casing made of anodised aluminium
- 2.9 m connecting cable and earthing contact plug
- For attachment to add-on storage rack 505300, storage shelf 505000 or holder 507001
- Compact fluorescent lamps 2 x 36 W, 230V

Order no.	W x D x H (mm)
207000	900 x 135 x 60 Weight 4 kg
507001 Brackets for attach- ment to upright 5064	1720 x 40 x 40

Accessories on and underneath the table MODUL 5000




Backboard

- For rear confinement on the table top
- Material as for table top 503000
- Simple clamp attachment to the rear edge

• Weight 4 kg

Order no.	W x D x H (mm)
5060	1705 x 85



Cable duct

- With screw-mounted cover and flexible plastic cable guide
- Only for table 503000
- Not for use with article 5035xx

Order no.	W x D x H (mm)
5075	1680 x 155 x 185



Lockable drawer

- For use on right and left underneath table
- Plastic guide rail with drawer stop
- Load capacity 20 kg
- Weight 8 kg

Order no.	W x D x H (mm)
5006	475 x 570 x 100



Bottom shelf

- Mobile with 4 lockable castors
- Max. surface load 50 kg
- Weight 33 kg

Order no.	W x D x H (mm)
5009	1600 x 700 x 100




Undertable storage rack, short

- Mobile and lockable
- 6 steel wire dividers
- Space for approx. 100 folding cartons
- Max. surface load 50 kg

• Weight 20 kg

Order no.	W x D x H (mm)
5042	1110 x 550 x 480



Container with drawer

- Mobile and lockable
- Drawer with lock and stopper
- For waste disposal

•	Load capacity of c	ontainer: 40 kg
0	udau na	

Order no.	W x D x H (mm)
5008	555 x 760 x 665

5.	, i	
	19	

Undertable storage rack, long

- Mobile and lockable
- 9 steel wire dividers
- For approx. 160 folding cartons
- Max. surface load 50 kg
- Weight 32 kg

Order no.	W x D x H (mm)
5043	1705 x 550 x 480

IT accessories MODUL 5000



TFT support carriage

- For flexible attachment of a TFT monitor to the supporting column
- Load capacity 12 kg

Order no.	W x D x H (mm)
509202	100 x 125 x 115 Weight 1 kg



Keyboard and mouse platform with folding arm

- For flexible attachment to the supporting column or adapter
- Load capacity 10 kg •

. Weight 1 kg .

Order no.	W x D x H (mm)
509201	Shelf size 640 x 172 mm



TFT folding arm

- For flexible attachment of a TFT monitor to the supporting column VESA 75/100 quick-release attachment

Order no.	W x D x H (mm)
509203	100 x 455 x 115
Load capacity 5 kg	Weight 1.6 kg
509204	100 x 455 x 200
Load capacity 15 kg	Weight 2.1 kg



Support column with screw clamp

- For attaching a TFT folding arm and a key-. board tray
- Aluminium profile with clamp attachment

Order no.	W x D x H (mm)
509001 Clamping range (mm) 14-40	51 x 51 x 445 Weight 1.5 kg
509002 Clamping range 5-65 mm	51 x 51 x 445 Weight 2 kg




4-socket outlet

Incl. 2.90 m connecting cable •

•	Weight 1 kg	
0	rder no.	WxDxH


Order no.	W x D x H (mm)
5074	61 x 45 x 304



Keyboard tray

- Adjustable slanting tray with non-slip . rubber coating
- For attachment to storage shelf • 5050/5051 or multi-purpose tray 5081
- Weight 8 kg •

C	Order no.	W x D x H (mm)
5	5085	420 x 570



Multi-purpose tray

- For mounting on tubular cross members .
- Load capacity 15 kg •
- Weight 3 kg .

Order r	10.	W x D x H (mm)
5081		315 x 240 x 130

Ergonomic accessories and lifting aids MODUL 5000

1.

Floor mat made of soft PVC

With grid gaps .

Order no.	W x D x H (mm)
600003	1000 x 600 Weight 4 kg
600001	1500 x 600 Weight 6 kg
600002	2000 x 600 Weight 8 kg



Ergonomic workplace mat

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
 - Anti-slip surface

Order no.	W x D x H (mm)
600004	1350 x 1000 x 16
Dry version	Weight 19 kg
600005	1350 x 1000 x 16
Wet version	Weight 18 kg




Information

about ergonomics from

Ergonomic workplace mat

- Protects the joints and spinal discs •
- Bevelled edges for less risk of tripping
- Anti-slip surface

Order no.	W x D x H (mm)
600014	1000 x 650 x 10
Basic slim version	Weight 6 kg
600015	1000 x 650 x 13
Basic grip version	Weight 7 kg



Ergonomic workplace mat

- Puzzle joint
- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping .
- Anti-slip surface

Order no.	W x D x H (mm)
600007	1300 x 1000 x 16
Puzzle variant D	Weight 30 kg
600009	1240 x 1000 x 16
Puzzle variant E	Weight 15 kg



ErgoPlus 3000 standing aid

- Incl. foot rest
- Infinite adjustment of the seat cushion
 - Collapsible
- Weight 12 kg

.

Order no.	W x D x H (mm)
519192	670 x 500 x 1100



Saddle stool

- Ergonomic saddle seat
- Seat tilt adjustment
- Adjustment range 630-890 mm .
- Weight 10 kg

Order no.	W x D x H (mm)
852086	478 x 445 x 660



Ergonomic swivel chair

- Seat and back: synthetic leather upholsterv
- Adjustment range 500-570 mm 360° module for "moving" sitting with
- individually adjustable spring force Cruciform base: plastic, black RAL 9005
- with load-dependent, braked soft castors **IGR-certified**
- Weight 14 kg •

Order no.	W x D x H (mm)
852087	450 x 440 x 500



Footrest With inclining tread surface .



Footrest

- Variable height 110-320 mm
- Moveable plastic tread plate
- Adjustable angle: 0°-30°
- Weight 7 kg

Order no.	W x D x H (mm)
5185	470 x 370 x 120

Order no.	W x D x H (mm)
852038	520 x 375 x 140



Packing and order picking trolley

- Height adjustment with gas pressure cyl-. inder
- Max. load capacity 30 kg
- Weight 52 kg

.

.

•

.

mm

Incl. foot switch

Table with pedestal base

Order no.	W x D x H (mm)	
209040	680 x 870 x 670-960	

11.	

Pneumatic lift table

- Allows effortless lifting and lowering of ٠ heavy cartons
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg
- Weight 50 kg

•

•

14.

Order no.	W x D x H (mm)
209100	600 x 600 x 500-710



Pneumatic lift table, stainless steel platform

- Stainless steel platform WxD 450 x 600 ٠ mm
- Lift height 500 mm •
- Incl. foot switch •
- Table prepared for bolting to floor
- Mounting materials not included •
- Requires 6 bar compressed air supply •
- Max. load capacity 60 kg •

Order no.	W x D x H (mm)
209101 Lift height 200-700 mm	450 x 735 x 1275



Pneumatic lift table, stainless steel platform

Requires 6 bar compressed air supply

Lift height 500 mm resp. 700 mm

- Stainless steel platform WxD 450 x 600 Mobile and lockable .
 - Drawer with lock and stopper
 - For waste disposal .

Container with drawer

• Load capacity of container: 40 kg

Max. load capacity 60 kg	
Order no.	W x D x H (mm)
209103 Lift height 250-750 mm	450 x 845 x 1320
209104 Lift height 250-950 mm	450 x 840 x 1720

Order no.	W x D x H (mm)
5008	555 x 760 x 665

Other accessories MODUL 5000



Cut-resistant overlay

- Transparent
- For traceless cuts
- Lightly anti-slip surface

Order no.	W x D x H (mm)
509400	900 x 600 x 3 Weight 2 kg



Slice - Auto-Retractable Box Cutter

- Incl. one double-sided ceramic blade
- Automatically retractable blade
- 8-10 times sharper than a steel blade
- Easy blade change
- Injury-proof handling

Order no.	W x D x H (mm)
99090238	



Cut-resistant overlay

- Protects parts of the worktop against damage from mechanical strain
- Bonded to worktop with the supplied adhesive pads

Order no.	W x D x H (mm)
203095 Stainless steel	1000 x 800 x 2 Weight 13 kg
203096 Galvanised sheet steel	1000 x 800 x 2 Weight 12 kg



Solo Lift Pro carry aid

 Practical, single-handed lifting aid for small, light boxes





Display panel holder with magnetic attachment

- Display panel holder with 5 display panels, black
- Metal wall holder with magnetic back

Order no.	W x D x H (mm)
591401	



Display panel holder as table stand-up display

- Complete set made of powder-coated steel for table top use
- L-shaped, metal table stand-up display with 10 display panels, assorted colours

Order no.	W x D x H (mm)
557000	



Waste container made of PP cavity sheeting

- Mould and moisture-proof For hygienic applications, no fibre forma-
- tion on the surfaceShock-absorbing
- Snock-absorbi
 Set = 2 pcs.

.

Order no.	W x D x H (mm)
2056	600 x 500 x 600



Dual Lift Pro carry aid

- With 2 belt pouches
- Safe lifting of large and heavy cartons through effective load distribution

00000001	Order no.	W x D x H (mm)
99090234	99090234	



A4 display panel

- 5 display panels
- Polypropylene display panels with black
 all-round profile frame
 - For DIN A4 info sheets

Order no.	W x D x H (mm)
560601	



Mobile hanging frame
360° swivel mounting

Order no.	W x D x H (mm)
2046	1050 x 700 x 2100- 3500 Weight 45 kg
802045 Extension strut with bracket	Weight 2 kg



Mobile cardboard storage rack

Two levels With handle •

•

Order no.	W x D x H (mm)
2042-2 Cardboard storage rack, short For approx. 200 folding cartons	1015 x 600 x 1260 Weight 42 kg
2043-2 Cardboard storage rack, long, For approx. 320 folding cartons	1600 x 600 x 1260 Weight 58 kg



Mobile cardboard storage rack

Three levels •

•	With	handle
---	------	--------

Order no.	W x D x H (mm)
2042-3 Cardboard storage rack, short For approx. 300 folding cartons	1015 x 600 x 1860 Weight 64 kg
2043-3 Cardboard storage rack, long, For approx. 480 folding cartons	1600 x 600 x 1860 Weight 88 kg

MODUL 5100 MODUL 5200







Whether as a QM station, workshop trolley, standing workplace or mobile information stand,

these two systems are extremely versatile just like all our other products. The mobile version is delivered with 4 castors (2 lockable). QUALITY MADE IN GERMANY

Basic MODUL 5100



Standing/seating workplace, complete

Comprising:

Standing table, max. load capacity 200 kg Storage shelf, top, max. load capacity 50 kg Drawer, load capacity 20 kg Storage shelf, bottom, max. load capacity 50 kg Multi-purpose shelf, load capacity 15 kg Runners

Weight 85 kg

Ord	ler no.	W x D x H (mm)
510	010	800 x 750 x 1330

Basic MODUL 5200



Standing workplace / QM station

- With information board
- Metal shelf and tray for small utensils
- Max. surface load of shelf 50 kg
- Load capacity of drawer 35 kg .
- Weight 53 kg •

Order no.	W x D x H (mm)
531003	670 x 650 x 1765



Standing workplace / QM station

- With information board
- Metal shelf and tray for small utensils
- Max. surface load of shelf 50 kg
- Load capacity of drawer 35 kg
- Weight 65 kg

Order no.	W x D x H (mm)
531007	1050 x 650 x 1765



- With infinite adjustment of the backrest and seat cushion 600-900 mm
- Collapsible

2.

Weight 12 kg

Order no.	W x D x H (mm)
519192	670 x 500 x 1100



Standing workplace / QM station

- With information board
- Metal shelf and drawer for suspension files
- Max. surface load of shelf 50 kg
- Load capacity of drawer 35 kg

Weight 53 kg

Order no.	W x D x H (mm)
531004	670 x 650 x 1765



Standing workplace / QM station

- Wide with table top
- Metal shelf and information board
- Max. surface load per drawer 50 kg
- Weight 51 kg

Order no.	W x D x H (mm)
531001	1050 x 650 x 1765



Standing workplace / QM station

- With information board
- Metal shelf and filing cabinet
- Max. surface load of shelf 50 kg
- Load capacity of cabinet 35 kg
- Weight 46 kg

Order no.	W x D x H (mm)
531005	670 x 650 x 1765



Standing workplace / QM station

- Narrow with whiteboard incl. pen set
- Metal shelf and filing cabinet
- Max. surface load of shelf 50 kg
- Load capacity of cabinet 35 kg
- Weight 46 kg .

Order no.	W x D x H (mm)
531009	670 x 650 x 1765

Basic MODUL 5200



Mobile packing station

Narrow, mobile, two-sided
With wide wooden shelf, metal shelf and add-on storage rack

Order no.	W x D x H (mm)
531010N	1050 x 1060 x 1800
527109 VESA 75/100 holder for TFT monitor	610 x 282

Cutting systems

For better cutting results

Choose from our proven cutting systems with dispenser for roll material (such as paper, cardboard or foil) for use either as a stand-alone cutting station or right next to the packing workplace.

The machinery quickly pays for itself since roll material is cheaper than cuttings. Not only that, but it also makes the dangerous and time-consuming handling of knives and scissors superfluous. We supply two cutter cartridges - as standard!





The cutter cartridges can be exchanged without any effort. The round cutter for paper, cardboard, etc.,

the blade for all soft foil. A clamping mechanism allows comfortable insertion of the material and safe holding after every cut.













Cutter stand, horizontal



Cutter stand, horizontal

- Dispensing height 890 mm
- Max. roll weight 200 kg
- Max. roll Ø 1000 mm

Order no.	Cutting width mm	W x D x H (mm)
55307	750	1090 x 970 x 1060
55310	1000	1340
55312	1250	1590
55316	1600	1940



Cutter stand, horizontal

- For light rolls
- Infinitely adjustable dispensing height
- Max. roll weight 100 kg
- Max. roll Ø 800 mm

Order no.	Cutting width mm	W x D x H (mm)
26207N	750	1120 x 850 x 1165
26210N	1000	1370
26212N	1250	1620
26216N	1600	1970
26218N	1800	2170
26220N	2000	2370



Undertable cutter, mobile

- Dispensing height 544 mm
- Max. roll weight 200 kg
- Max. roll Ø 750 mm

Order no.	Cutting width mm	W x D x H (mm)
55507	750	1090 x 970 x 810
55510	1000	1340
55512	1250	1590
55516	1600	1940



Dual cutter stand

- Dispensing height 890/1215 mm
- Max. weight per roll 150 kg
- Max. roll Ø 750 mm

Order no.	Cutting width mm	W x D x H (mm)
55407	750	1090 x 970 x 1060
55410	1000	1340
55412	1250	1590
55416	1600	1940



Cutter stand, for 2 rolls

For light rolls

•

•

- Infinitely adjustable dispensing height
- With one cutter
- Max. total roll weight 130 kg
 Max. roll Ø 800 mm

Order no.	Cutting width mm	W x D x H (mm)
26507	750	1120 x 850 x 1665
26510	1000	1370
26512	1250	1620
26516	1600	1970
26518	1800	2170
26520	2000	2370



Undertable cutter

- Mobile
- Dispensing height 580 mm
- Max. roll weight: 200 kg
 Max. roll Ø 750 mm

Order no.	Cutting width mm	W x D x H (mm)
25507	750	1000 x 880 x 740
25510	1000	1250
25512	1250	1500
25516	1600	1850



Dual cutter stands

- For light rolls
- Infinitely adjustable dispensing height
- With two cutters
- Max. total roll weight 130 kg
- Max. roll Ø 800 mm

Order no.	Cutting width mm	W x D x H (mm)
26407	750	1120 x 850 x 1665
26410	1000	1370
26412	1250	1620
26416	1600	1970
26418	1800	2170
26420	2000	2370

Cutters, wall-mounted and table version



Wall-mounted cutter:

- .
- Spindle Ø 32 mm Max. roll weight: 80 kg
- . Max. roll Ø: 250 mm •

Order no.	Cutting width mm	W x D x H (mm)
25907	750	1000 x 400 x 430
25910	1000	1250
25912	1250	1500
25916	1600	1850

Wall-mounted cutter:

- Spindle Ø 32 mm ٠
- Max. roll weight: 200 kg •
- Max. roll Ø: 500 mm •

Order no.	Cutting width mm	W x D x H (mm)
26007	750	1000 x 670 x 570
26010	1000	1250
26012	1250	1500
26016	1600	1850

Cutter stand, vertical



Cutter stand, vertical

35012

35016

Max. roll weight: 200 kg •

1250

1600

1	• Max. roll Ø 450 mm		
	Order no.	Cutting width mm	W x D x H (mm)
	35010	1000	480 x 580 x 1300



Table top cutter:

- Spindle Ø 32 mm •
- Max. roll weight: 80 kg • .
- Max. roll Ø: 250 mm

Order no.	Cutting width mm	W x D x H (mm)
25607	750	1000 x 360 x 350
25610	1000	1250
25612	1250	1500
25616	1600	1850

Table top cutter:

- Spindle Ø 32 mm ٠
- Max. roll weight: 200 kg • •
- Max. roll Ø: 500 mm

Order no.	Cutting width mm	W x D x H (mm)
25707	750	1000 x 600 x 470
25710	1000	1250
25712	1250	1500
25716	1600	1850



- Max. roll weight: 200 kg ٠ Max. roll Ø 800 mm .

1550

1900

Order no.	Cutting width mm	W x D x H (mm)
35110	1000	800 x 880 x 1300
35112	1250	1550
35116	1600	1900
35118	1800	2100
35120	2000	2300

Roll dispensers and add-on cutter



Mobile roll dispenser

• Max. roll weight: 200 kg

• Max. roll Ø 750 mm

Order no.	Roll width mm	W x D x H (mm)
53107	750	1090 x 770 x 680
53110	1000	1340
53112	1250	1590



Mobile roll dispenser

Max. roll weight: 200 kg
Max. roll Ø 750 mm

Max.	roll	Ø	750	mm	

Order no.	Roll width mm	W x D x H (mm)
23207	750	1000 x 840 x 500
23210	1000	1250
23212	1250	1500



Mobile roll dispenser

Max. roll weight: 200 kg

Max. roll Ø 500 mm

Order no.	Roll width mm	W x D x H (mm)
23107	750	1000 x 600 x 400
23110	1000	1250
23112	1250	1500




Add-on cutter

- Max. clamping range 70 mm
- Suitable for 203000 and 503000
 57112 is only suitable for 203000

Order no.	Cutting width mm	W x D x H (mm)
55107	750	1033 x 250 x 280
55110	1000	1283
55112	1250	1533
55116	1600	1883

Cutter stand accessories



Bearing shells for roll spindles

- For undertable installation of SYSTEM 2000
- Horizontal
- Weight 0.5 kg

Order no.	W x D x H (mm)
23800	



Spindle set, complete

- Spindle tube diameter 32 mm, for roll widths up to 1600 mm
- 1 pair of cones for core diameters 50 85 mm
- 4 clamp rings for adjusting the roll
- Incl. for tables with a clear width of 1640 mm
 Weight 2 kg

Order no.	W x D x H (mm)	
23900	1850 x 32 mm Ø	



Metre counter

Suitable for cutter stands 262, 264, 265, 553, 554

Order no.	Roll width mm	W x D x H (mm)
256075	750	1000 x 155 x 155
256100	1000	1250
256125	1250	1500
256160	1600	1850
256180	1800	2050
256200	2000	2250



Roll stand with tear-off mechanism

- For pre-perforated material
- Castors not included
- Max. roll weight 100 kg
- Max. roll Ø 800 mm

Order no.	Roll width mm	W x D x H (mm)
26207 AV	750	1120 x 920 x 1165
26210 AV	1000	1370
26212 AV	1250	1620
26216 AV	1600	1970
26218 AV	1800	2170
26220 AV	2000	2370



Add-on winding unit

- Incl. hand crank
- Spindle and cones for core diameters
 46 60 mm

Order no.	Suitable for
252507	26207N / 26407 / 26507
252510	26210N / 26410 / 26510
252512	26212N / 26412 / 26512
252516	26216N / 26416 / 26516
252518	26218N / 26418 / 26518
252520	26220N / 26420 / 26520



Roll runners for devices 553...

•

With 4 castors, 2 of which are lockable

Order no.	W x D x H (mm)
5554 roll runners for devices 553 Load capacity per roll 75 kg	52 x 650 x 100 Weight 3 kg
23601 Castors for devices 262, 265, 264 With 4 castors, 2 of which are lockable Load capacity per roll 70 kg	Weight 1 kg

Pneumatic cutter

The pneumatically powered cutter is used solely for cutting packing materials such as paper, tissue paper, kraft paper, corrugated cardboard, anti-rust paper, soft flat film, foam sheets, air bubble film, tubular film, etc. Foam sheets can have a maximum thickness of

6 mm, air bubble film 10 mm.

Special and kraft paper with a grammage of more than 180 g/m^2 have to be tested for their cutting suitability. This also applies for flat and tubular film with a thickness of over 0.2 mm.



Safe usage and ergonomic handling, especially for large cutting widths

Consistent cutting quality

Low fatigue, even for greater volumes, practicable for large widths (up to 1600 mm cutting width)



Pneumatic cutter stands, horizontal

- Compressed air connection 6 bar (max.)
- Max. roll weight: 200 kg
- Max. roll Ø 750 mm

Order no.	Cutting width mm	W x D x H (mm)							
57310	1000	1730 x 970 x 1060							
57312	1250	1980							
57316	1600	2330							



Pneumatic add-on cutter

- For rear edge of table
- Max. clamping range 70 mm
- Suitable for 203000 and 503000
- 57112 is only suitable for 203000

Order no.	Cutting width mm	W x D x H (mm)						
57107	750	1480 x 235 x 200						
57112	1250	1980						



The cutting speed is adjustable. Approx. 1.5 m/ sec (factory setting)

ZA 630 automatic cutting

The cutting machine ZA 630 is the latest development for flexible cuttings from a variety of different materials such as foil, paper, corrugated cardboard or foam. The precision-guided cutting carriage and the contact pressure accomplished by rubber lips compensate uneven materials. Therefore, a high cutting accuracy can be achieved.




Features:

- Touch-screen operator terminal (2), plain and clear operator guidance and completely reworked service menu
- Low sound emission figures due to encapsulation of individual components and modern means of storage technology
- High level of machine availability due to short set-up and service periods
- Electronically controlled feed rate plus slip compensation
- Circular knife and blade
- End-of-material control
- Please feel free to contact us about additional options and individual modifications!



The two-sided holddown bar allows the processing of many different

materials. Send us your test samples!







Special features at a glance:

FLEXIBLE

The ZA 630 automatic cutting machine enables you to cut roll material in the quantity and size you require.

FAST

You can save frequently used size and quantity options and select them at the push of button, for convenient operation. State-of-the-art controls from Siemens equip the ZA 630 with the latest electrical technology.

COST-EFFECTIVE


You buy inexpensive roll material instead of expensive pre-cut pieces. This eliminates the need to store different sized materials because you simply cut according to your needs.

MODULAR

The machine's modular design assures long-term security for your investment. It can be adapted, adjusted and refit to accommodate changing requirements, whenever necessary.







Our production site in Germany not only guarantees high quality standards but also ensures short delivery times and an efficient and smooth supply of accessories and spare parts.

Notes

Sketches

•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	٠	•	٠	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	٠	•	٠	•	•	•	٠	•	•	•	•	•	٠	•
•	٠	•	٠	•	•	٠	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	٠	•	•	•	٠	•	•	•	•	•	•	•
٠	•	•	٠	٠	•	٠	٠	•	٠	٠	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	٠	٠
•	•	٠	٠	•	•	٠	٠	٠	٠	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	٠	•	•	٠	•	•	•	•	•	٠	•
•	٠	•	٠	•	•	٠	٠	•	•	•	•	•	٠	٠	•	•	•	٠	٠	•	•	٠	٠	٠	•	•	٠	٠	•	•	•	•	•	•	•
																																		•	
•																																		•	
•	•																																	•	
																																		•	
•																																		•	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•
•	•	•	٠	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
٠	•	•	٠	•	•	٠	•	•	٠	•	•	٠	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
٠	٠	•	٠	•	•	٠	٠	•	•	•	•	•	٠	٠	•	•	•	٠	٠	•	•	٠	٠	٠	•	•	٠	٠	•	•	•	•	•	٠	٠
٠	٠	٠	٠	٠	•	٠	٠	٠	٠	•	•	٠	•	•	٠	•	•	•	٠	•	•	٠	•	٠	•	•	•	٠	•	•	•	•	•	٠	•
																																		•	
																																		•	
																																		•	
•																																		•	
			-	-	-		-	-	-																	-		~		-	-	-	-	•	
•	•																																	•	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•
٠	•	•	٠	•	•	٠	•	•	٠	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	٠	•
٠	•	•	٠	•	•	٠	•	•	•	•	•	•	•	•	•	٠	•	•	٠	•	•	٠	•	•	•	•	٠	٠	•	•	•	•	•	٠	•
•	٠	•	٠	•	٠	٠	•	•	•	•	٠	•	٠	٠	•	٠	•	•	٠	•	•	٠	٠	٠	•	•	٠	٠	•	•	•	•	•	٠	•
٠	٠	•	٠	٠	•	٠	٠	•	٠	•	•	٠	٠	•	٠	•	•	•	٠	•	•	٠	•	٠	•	•	•	٠	•	•	•	•	•	٠	•
•	•	•	٠	•	•	•	•	•	•									•					•	•							-	-	-	•	
•	•	•	•	•	•		•			•																								•	
•	•	•	•	•	•	•	•	•	•									•				•		•								•			•
•	•	•	•	•	•	•	•	•	•	•								•							•									•	
•	•	•	•	•	•	•	•	•	•																•						•	•	•	•	•
•	•	•	•	•	•	•				•																				•	•	•	•	•	•

Product features

Comparison chart

	BASIC	SYSTEM 1600 Complete station	SYSTEM 2000	SYSTEM FLEX	MODUL 5000
Table width 1200					
Table width 1600					
Table width 2000					
Table depth	800	800	920:S2000 800:S1200/1600	800	880
Uprights for accessories, straight	•	•	•	•	
Uprights for ergonom- ically inclined				•	•
Add-on elements fixed in centre of table		•	•	•	•
Variably position- able add-on elements				•	
Variably angled add-on elements				•	
Adjustable height					
Height adjustment by crank		•	•		•
Height adjustment by motor		•	•	•	•
IGR certification "Ergonomic Product"				•	
Ergonomic accessories					
Extensive range of accessories		•		•	•
Matching cutters	O ¹			O ²	
Simple conversion /adaptation				•	

1 Limited selection

2 All SYSTEM 2000 and MODUL 5000 series cutters can be used.



FachPack

LogiMAT



FachPack 2015







AplusA















Ye so e

You can convince yourself about the quality of our products at trade exhibitions (upcoming dates can be found on

our website) or your local dealer. Of course, you can also visit our showroom together with your dealer. We look forward to seeing you!



Hüdig + Rocholz GmbH & Co. KG | Nevigeser Straße 240-242 | 42553 Velbert | Germany

We reserve the right to change dimensions, weights or colours, or to alter the designs. This catalogue is protected by copyright. Reproduction - even of extracts - is permissible only with the written consent of the publisher.

Illustrations partially show accessories and decorative materials which are not supplied. Please refer to the product description for the actual scope of delivery.

Illustrative material used in this catalogue:

istockphoto.com: 9283747; digital planet design - 9282058; digital planet design - 16080476; Johnny Greig - 19569525; 4x6 fotolia.de: 39846467; drubig-photo With the appreciated support of: Josef Blässinger GmbH + Co. KG, Banholzer und Wenz GmbH, TGW Logistik Group GmbH, Betriebseinrichtungen Lenz UG, myToys.de GmbH

